

Clamping Knobs offer a secure grip with a multi-prong design, making them ideal for controlling, positioning, and tightening in various applications. Flexible mounting options include studded, blind and thru-hole inserts. Our plastic lobe knobs provide a cost-effective, lightweight alternative to steel, offering good impact strength and resistance to oil, grease, and solvents.

APPLICATIONS & INDUSTRIES

- Agriculture
- Fixturing
- Medical
- Lawnmowers
- Health & Fitness
- Lawn & Garden
- Automation Equipment
- Industrial Machinery

3P1 Series

3-Arm Metric Clamping Knobs

Specifications:

Knob Material: 100% Recycled Polypropylene

Insert Material: Steel

Finish: Zinc Plated

Color: Black



Female Knobs



Blind



Thru-Hole

Item No.	Mfg Item No.	A Nominal Diameter	Thread Size	B Hub Diameter	C Knob Height	D Hub Height	Knob Type
20126933	KNM6----3P1B-2R	32.0	M6	15.75	24.13	12.70	Blind
20126919	KNM6----3P1--2R	32.0	M6	15.75	24.13	12.70	Thru-Hole
20131685	KNM6----3P1L-2R	32.0	M6	15.75	24.13	12.70	Thru-Hole (Stop Nut)
20126940	KNM8----3P1B-2R	32.0	M8	15.75	24.13	12.70	Blind
20126926	KNM8----3P1--2R	32.0	M8	15.75	24.13	12.70	Thru-Hole
20131692	KNM8----3P1L-2R	32.0	M8	15.75	24.13	12.70	Thru-Hole (Stop Nut)

* Also available in Imperial Threads

Male Knobs



Item No.	Mfg Item No.	A Nominal Diameter	Thread Size	B Hub Diameter	C Knob Height	D Hub Height	Stud Length
20127701	KNM610MM3P1--2R	32.0	M6	15.75	24.13	12.70	10
20127718	KNM625MM3P1--2R	32.0	M6	15.75	24.13	12.70	25
20127725	KNM630MM3P1--2R	32.0	M6	15.75	24.13	12.70	30
20127732	KNM640MM3P1--2R	32.0	M6	15.75	24.13	12.70	40

* Also available in Imperial Threads



CUSTOM COLORS & CUSTOMIZATIONS

Customize your plastic knobs and molded parts to fit your project needs.

Call us today at 800 847 0486.

4P4 Series

4-Arm Metric Clamping Knobs


Specifications:

Knob Material: 100% Recycled Polypropylene

Insert Material: Steel

Finish: Zinc Plated

Color: Black



Female Knobs



Blind



Thru-Hole

Item No.	Mfg Item No.	A Nominal Diameter	Thread Size	B Hub Diameter	C Knob Height	D Hub Height	Knob Type
20127114	KNM6----4P4--2R	45mm	M6	19.05	26.42	13.72	Thru-hole
20127121	KNM8----4P4--2R	45mm	M8	19.05	26.42	13.72	Thru-hole
20127138	KNM10---4P4--2R	45mm	M10	19.05	26.42	13.72	Thru-hole
20127145	KNM6----4P4B-2R	45mm	M6	19.05	26.42	13.72	Blind Hole
20127152	KNM8----4P4B-2R	45mm	M8	19.05	26.42	13.72	Blind Hole
20127169	KNM10---4P4B-2R	45mm	M10	19.05	26.42	13.72	Blind Hole
20131784	KNM6----4P4L-2R	45mm	M6	19.05	26.42	13.72	Thru-hole (Stop Nut)
20131791	KNM8----4P4L-2R	45mm	M8	19.05	26.42	13.72	Thru-hole (Stop Nut)

* Also available in Imperial Threads

Male Knobs



Item No.	Mfg Item No.	A Nominal Diameter	Thread Size	B Hub Diameter	C Knob Height	D Hub Height	Stud Length
20127923	KNM610MM4P4--2R	45mm	M6	19.05	26.42	13.72	10
20127930	KNM625MM4P4--2R	45mm	M6	19.05	26.42	13.72	25
20127947	KNM630MM4P4--2R	45mm	M6	19.05	26.42	13.72	30
20127954	KNM640MM4P4--2R	45mm	M6	19.05	26.42	13.72	40
20127961	KNM815MM4P4--2R	45mm	M8	19.05	26.42	13.72	15
20127978	KNM820MM4P4--2R	45mm	M8	19.05	26.42	13.72	20
20127985	KNM825MM4P4--2R	45mm	M8	19.05	26.42	13.72	25
20127992	KNM830MM4P4--2R	45mm	M8	19.05	26.42	13.72	30
20128005	KNM835MM4P4--2R	45mm	M8	19.05	26.42	13.72	35
20128012	KNM840MM4P4--2R	45mm	M8	19.05	26.42	13.72	40

* Also available in Imperial Threads

4S4 Series

4-Arm Metric Clamping Knobs

Specifications:

Knob Material: 100% Recycled Polypropylene

Insert Material: Steel

Finish: Zinc Plated

Color: Black



Female Knobs



Blind



Thru-Hole

Item No.	Mfg Item No.	A Nominal Diameter	Thread Size	B Hub Diameter	C Knob Height	D Hub Height	Knob Type
20127336	KNM6----4S4--2R	45mm	M6	19.05	20.83	6.35	Thru-hole
20127350	KNM8----4S4--2R	45mm	M8	19.05	20.83	6.35	Thru-hole
20127367	KNM10---4S4-2R	45mm	M10	19.05	20.83	6.35	Blind Hole
20127374	KNM6----4S4B-2R	45mm	M6	19.05	20.83	6.35	Blind Hole
20131890	KNM6----4S4L-2R	45mm	M6	19.05	20.83	6.35	Thru-hole (Stop Nut)
20131913	KNM8----4S4L-2R	45mm	M8	19.05	20.83	6.35	Thru-hole (Stop Nut)

* Also available in Imperial Threads

Male Knobs



Item No.	Mfg Item No.	A Nominal Diameter	Thread Size	B Hub Diameter	C Knob Height	D Hub Height	Stud Length
20128319	KNM610MM4S4--2R	45mm	M6	19.05	20.83	6.35	10
20128326	KNM625MM4S4--2R	45mm	M6	19.05	20.83	6.35	25
20128333	KNM630MM4S4--2R	45mm	M6	19.05	20.83	6.35	30
20128340	KNM640MM4S4--2R	45mm	M6	19.05	20.83	6.35	40
20128357	KNM815MM4S4--2R	45mm	M8	19.05	20.83	6.35	15
20128364	KNM820MM4S4--2R	45mm	M8	19.05	20.83	6.35	20
20128371	KNM825MM4S4--2R	45mm	M8	19.05	20.83	6.35	25
20128388	KNM830MM4S4--2R	45mm	M8	19.05	20.83	6.35	30
20128395	KNM835MM4S4--2R	45mm	M8	19.05	20.83	6.35	35
20128401	KNM840MM4S4--2R	45mm	M8	19.05	20.83	6.35	40

* Also available in Imperial Threads

4S4 Series 4-Arm Metric Clamping Knobs

Specifications:
 Knob Material: 100% Recycled Polypropylene with TPR Overlay
 Insert Material: Steel
 Finish: Zinc Plated
 Color: Black



Female Knobs



Blind



Thru-Hole

Item No.	Mfg Item No.	A Nominal Diameter	Thread Size	B Hub Diameter	C Knob Height	D Hub Height	Knob Type
20600532	KNM10---4S4BS2R	45mm	M10	19.05	20.83	4.50	Blind Hole

* Also available in Imperial Threads

Male Knobs




Item No.	Mfg Item No.	A Nominal Diameter	Thread Size	B Hub Diameter	C Knob Height	D Hub Height	Stud Length
20128517	KNM610MM4S4-S2R	45mm	M6	19.05	20.83	4.50	10
20128524	KNM625MM4S4-S2R	45mm	M6	19.05	20.83	4.50	25
20128531	KNM630MM4S4-S2R	45mm	M6	19.05	20.83	4.50	30
20128548	KNM640MM4S4-S2R	45mm	M6	19.05	20.83	4.50	40
20128555	KNM815MM4S4-S2R	45mm	M8	19.05	20.83	4.50	15
20128562	KNM820MM4S4-S2R	45mm	M8	19.05	20.83	4.50	20
20128579	KNM825MM4S4-S2R	45mm	M8	19.05	20.83	4.50	25
20128586	KNM830MM4S4-S2R	45mm	M8	19.05	20.83	4.50	30
20128593	KNM835MM4S4-S2R	45mm	M8	19.05	20.83	4.50	35
20128609	KNM840MM4S4-S2R	45mm	M8	19.05	20.83	4.50	40

* Also available in Imperial Threads

5S2 Series Metric Clamping Star Knobs

Specifications:
 Knob Material: 100% Recycled Polypropylene
 Insert Material: Steel
 Finish: Zinc Plated
 Color: Black



Female Knobs



Blind



Thru-Hole

Item No.	Mfg Item No.	A Nominal Diameter	Thread Size	B Hub Diameter	C Knob Height	D Hub Height	Knob Type
20131302	KNM6----5S2--2R	35mm	M6	21.84	29.21	17.78	Thru-Hole
20131319	KNM8----5S2--2R	35mm	M8	21.84	29.21	17.78	Thru-Hole
20131326	KNM6----5S2B-2R	35mm	M6	21.84	29.21	17.78	Blind Hole
20131333	KNM8----5S2B-2R	35mm	M8	21.84	29.21	17.78	Blind Hole
20132088	KNM6----5S2L-2R	35mm	M6	21.84	29.21	17.78	Thru-hole (Stop Nut)
20132095	KNM8----5S2L-2R	35mm	M8	21.84	29.21	17.78	Thru-hole (Stop Nut)

* Also available in Imperial Threads

Male Knobs



Item No.	Mfg Item No.	A Nominal Diameter	Thread Size	B Hub Diameter	C Knob Height	D Hub Height	Stud Length
20129101	KNM610MM5S2--2R	35mm	M6	21.84	29.21	17.78	10
20129118	KNM625MM5S2--2R	35mm	M6	21.84	29.21	17.78	25
20129125	KNM630MM5S2--2R	35mm	M6	21.84	29.21	17.78	30
20129132	KNM640MM5S2--2R	35mm	M6	21.84	29.21	17.78	40
20129149	KNM815MM5S2--2R	35mm	M8	21.84	29.21	17.78	15
20129156	KNM820MM5S2--2R	35mm	M8	21.84	29.21	17.78	20
20129163	KNM825MM5S2--2R	35mm	M8	21.84	29.21	17.78	25
20129170	KNM830MM5S2--2R	35mm	M8	21.84	29.21	17.78	30
20129187	KNM835MM5S2--2R	35mm	M8	21.84	29.21	17.78	35
20129194	KNM840MM5S2--2R	35mm	M8	21.84	29.21	17.78	40

* Also available in Imperial Threads

5S3 Series Metric Clamping Star Knobs

Specifications:
 Knob Material: 100% Recycled Polypropylene
 Insert Material: Steel
 Finish: Zinc Plated
 Color: Black



Female Knobs



Blind



Thru-Hole

Item No.	Mfg Item No.	A Nominal Diameter	Thread Size	B Hub Diameter	C Knob Height	D Hub Height	Knob Type
20131371	KNM6---5S3B-2R	45.0	M6	22.35	31.75	19.05	Blind
20131340	KNM6---5S3--2R	45.0	M6	22.35	31.75	19.05	Thru-Hole
20132101	KNM6---5S3L-2R	45.0	M6	22.35	31.75	19.05	Thru-Hole (Stop Nut)
20131388	KNM8---5S3B-2R	45.0	M8	22.35	31.75	19.05	Blind
20131357	KNM8---5S3--2R	45.0	M8	22.35	31.75	19.05	Thru-Hole
20132118	KNM8---5S3L-2R	45.0	M8	22.35	31.75	19.05	Thru-Hole (Stop Nut)
20131395	KNM10---5S3B-2R	45.0	M10	22.35	31.75	19.05	Blind
20131364	KNM10---5S3--2R	45.0	M10	22.35	31.75	19.05	Thru-Hole
20132125	KNM10---5S3L-2R	45.0	M10	22.35	31.75	19.05	Thru-Hole (Stop Nut)


* Also available in Imperial Threads

Male Knobs



Item No.	Mfg Item No.	A Nominal Diameter	Thread Size	B Hub Diameter	C Knob Height	D Hub Height	Stud Length
20129200	KNM610MM5S3--2R	45.0	M6	22.35	31.75	19.05	10
20129217	KNM625MM5S3--2R	45.0	M6	22.35	31.75	19.05	25
20129224	KNM630MM5S3--2R	45.0	M6	22.35	31.75	19.05	30
20129231	KNM640MM5S3--2R	45.0	M6	22.35	31.75	19.05	40
20129248	KNM815MM5S3--2R	45.0	M8	22.35	31.75	19.05	15
20129255	KNM820MM5S3--2R	45.0	M8	22.35	31.75	19.05	20
20129262	KNM825MM5S3--2R	45.0	M8	22.35	31.75	19.05	25
20129279	KNM830MM5S3--2R	45.0	M8	22.35	31.75	19.05	30
20129286	KNM835MM5S3--2R	45.0	M8	22.35	31.75	19.05	35
20129293	KNM840MM5S3--2R	45.0	M8	22.35	31.75	19.05	40
20129309	KNM1020M5S3--2R	45.0	M10	22.35	31.75	19.05	20
20129316	KNM1025M5S3--2R	45.0	M10	22.35	31.75	19.05	25
20129323	KNM1030M5S3--2R	45.0	M10	22.35	31.75	19.05	30
20129330	KNM1035M5S3--2R	45.0	M10	22.35	31.75	19.05	35
20129347	KNM1040M5S3--2R	45.0	M10	22.35	31.75	19.05	40

* Also available in Imperial Threads



MORE THAN 2,100 KNOBS, HANDLES & GRIPS PRODUCTS AVAILABLE



Explore the entire
collection in our full
range catalog.

5SA Series

Metric Clamping Star Knobs

Specifications:

Knob Material: 100% Recycled Polypropylene

Insert Material: Steel

Finish: Zinc Plated

Color: Black



Female Knobs



Blind



Thru-Hole

Item No.	Mfg Item No.	A Nominal Diameter	Thread Size	B Hub Diameter	C Knob Height	D Hub Height	Knob Type
20131432	KNM8---5SAB-2R	60.0	M8	24.89	25.40	11.94	Blind
20131401	KNM8---5SA--2R	60.0	M8	24.89	25.40	11.94	Thru-Hole
20132132	KNM8---5SAL-2R	60.0	M8	24.89	25.40	11.94	Thru-Hole (Stop Nut)
20131449	KNM10---5SAB-2R	60.0	M10	24.89	25.40	11.94	Blind
20131418	KNM10---5SA--2R	60.0	M10	24.89	25.40	11.94	Thru-Hole
20132149	KNM10---5SAL-2R	60.0	M10	24.89	25.40	11.94	Thru-Hole (Stop Nut)
20131456	KNM12---5SAB-2R	60.0	M12	24.89	25.40	11.94	Blind
20131425	KNM12---5SA--2R	60.0	M12	24.89	25.40	11.94	Thru-Hole
20132156	KNM12---5SAL-2R	60.0	M12	24.89	25.40	11.94	Thru-Hole (Stop Nut)

* Also available in Imperial Threads

Male Knobs



Item No.	Mfg Item No.	A Nominal Diameter	Thread Size	B Hub Diameter	C Knob Height	D Hub Height	Stud Length
20129354	KNM815MM5SA--2R	60.0	M8	24.89	25.40	11.94	15
20129361	KNM820MM5SA--2R	60.0	M8	24.89	25.40	11.94	20
20129378	KNM825MM5SA--2R	60.0	M8	24.89	25.40	11.94	25
20129385	KNM830MM5SA--2R	60.0	M8	24.89	25.40	11.94	30
20129392	KNM835MM5SA--2R	60.0	M8	24.89	25.40	11.94	35
20129408	KNM840MM5SA--2R	60.0	M8	24.89	25.40	11.94	40
20129415	KNM1020M5SA--2R	60.0	M10	24.89	25.40	11.94	20
20129422	KNM1025M5SA--2R	60.0	M10	24.89	25.40	11.94	25
20129439	KNM1030M5SA--2R	60.0	M10	24.89	25.40	11.94	30
20129446	KNM1035M5SA--2R	60.0	M10	24.89	25.40	11.94	35
20129453	KNM1040M5SA--2R	60.0	M10	24.89	25.40	11.94	40
20129460	KNM1230M5SA--2R	60.0	M12	24.89	25.40	11.94	30
20129477	KNM1240M5SA--2R	60.0	M12	24.89	25.40	11.94	40
20129484	KNM1250M5SA--2R	60.0	M12	24.89	25.40	11.94	50
20129491	KNM1260M5SA--2R	60.0	M12	24.89	25.40	11.94	60

* Also available in Imperial Threads

R5 Series

Fluted Metric Clamping Knobs


Specifications:

Knob Material: 100% Recycled Polypropylene with TPR Overlay

Insert Material: Steel

Finish: Zinc Plated

Color: Black



Female Knobs



Blind



Thru-Hole

Item No.	Mfg Item No.	A Nominal Diameter	Thread Size	B Hub Diameter	C Knob Height	D Hub Height	Knob Type
20131548	KNM8---R5---2R	50mm	M8	24.90	30.99	6.35	Thru-Hole
20131555	KNM10---R5---2R	50mm	M10	24.90	30.99	6.35	Thru-Hole
20131562	KNM8---R5-B-2R	50mm	M8	24.90	30.99	6.35	Blind Hole
20131579	KNM10---R5-B-2R	50mm	M10	24.90	30.99	6.35	Blind Hole
20132200	KNM8---R5-L-2R	50mm	M8	24.90	30.99	6.35	Thru-hole (Stop Nut)
20132217	KNM10---R5-L-2R	50mm	M10	24.90	30.99	6.35	Thru-hole (Stop Nut)

* Also available in Imperial Threads

Male Knobs



Item No.	Mfg Item No.	A Nominal Diameter	Thread Size	B Hub Diameter	C Knob Height	D Hub Height	Stud Length
20129705	KNM815MMR5--2R	50mm	M8	24.90	30.99	6.35	15
20129712	KNM820MMR5--2R	50mm	M8	24.90	30.99	6.35	20
20129729	KNM825MMR5--2R	50mm	M8	24.90	30.99	6.35	25
20129736	KNM830MMR5--2R	50mm	M8	24.90	30.99	6.35	30
20129743	KNM835MMR5--2R	50mm	M8	24.90	30.99	6.35	35
20129750	KNM840MMR5--2R	50mm	M8	24.90	30.99	6.35	40
20129767	KNM1020MR5--2R	50mm	M10	24.90	30.99	6.35	20
20129774	KNM1025MR5--2R	50mm	M10	24.90	30.99	6.35	25
20129781	KNM1030MR5--2R	50mm	M10	24.90	30.99	6.35	30
20129798	KNM1035MR5--2R	50mm	M10	24.90	30.99	6.35	35
20129804	KNM1040MR5--2R	50mm	M10	24.90	30.99	6.35	40

* Also available in Imperial Threads

F4 Series

Fluted Metric Clamping Knobs

Specifications:

Knob Material: 100% Recycled Polypropylene

Insert Material: Steel

Finish: Zinc Plated


Color: Black



Female Knobs



Blind



Thru-Hole

Item No.	Mfg Item No.	A Nominal Diameter	Thread Size	B Hub Diameter	C Knob Height	D Hub Height	Knob Type
20131166	KNM6---F4---2R	45mm	M6	31.24	21.84	7.11	Thru-Hole
20131173	KNM8---F4---2R	45mm	M8	31.24	21.84	7.11	Thru-Hole
20131180	KNM10---F4---2R	45mm	M10	31.24	21.84	7.11	Thru-Hole
20131197	KNM6---F4-B-2R	45mm	M6	31.24	21.84	7.11	Blind Hole
20131203	KNM8---F4-B-2R	45mm	M8	31.24	21.84	7.11	Blind Hole
20131210	KNM10---F4-B-2R	45mm	M10	31.24	21.84	7.11	Blind Hole
20132019	KNM6---F4-L-2R	45mm	M6	31.24	21.84	7.11	Thru-hole (Stop Nut)
20132026	KNM8---F4-L-2R	45mm	M8	31.24	21.84	7.11	Thru-hole (Stop Nut)
20132033	KNM10---F4-L-2R	45mm	M10	31.24	21.84	7.11	Thru-hole (Stop Nut)

* Also available in Imperial Threads

Male Knobs



Item No.	Mfg Item No.	A Nominal Diameter	Thread Size	B Hub Diameter	C Knob Height	D Hub Height	Stud Length
20128777	KNM610MMF4---2R	45mm	M6	31.24	21.84	7.11	10
20128784	KNM625MMF4---2R	45mm	M6	31.24	21.84	7.11	25
20128791	KNM630MMF4---2R	45mm	M6	31.24	21.84	7.11	30
20128807	KNM640MMF4---2R	45mm	M6	31.24	21.84	7.11	40
20128814	KNM815MMF4---2R	45mm	M8	31.24	21.84	7.11	15
20128821	KNM820MMF4---2R	45mm	M8	31.24	21.84	7.11	20
20128838	KNM825MMF4---2R	45mm	M8	31.24	21.84	7.11	25
20128845	KNM830MMF4---2R	45mm	M8	31.24	21.84	7.11	30
20128852	KNM835MMF4---2R	45mm	M8	31.24	21.84	7.11	35
20128869	KNM840MMF4---2R	45mm	M8	31.24	21.84	7.11	40
20128876	KNM1020MF4---2R	45mm	M10	31.24	21.84	7.11	20
20128883	KNM1025MF4---2R	45mm	M10	31.24	21.84	7.11	25
20128890	KNM1030MF4---2R	45mm	M10	31.24	21.84	7.11	30
20128906	KNM1035MF4---2R	45mm	M10	31.24	21.84	7.11	35
20128913	KNM1040MF4---2R	45mm	M10	31.24	21.84	7.11	40

* Also available in Imperial Threads

F6 Series

Fluted Metric Clamping Knobs

Specifications:

Knob Material: 100% Recycled Polypropylene

Insert Material: Steel

Finish: Zinc Plated

Color: Black



Female Knobs



Blind



Thru-Hole

Item No.	Mfg Item No.	A Nominal Diameter	Thread Size	B Hub Diameter	C Knob Height	D Hub Height	Knob Type
20131227	KNM10---F6---2R	60mm	M10	31.75	31.24	15.75	Thru-Hole
20131234	KNM12---F6---2R	60mm	M12	31.75	31.24	15.75	Thru-Hole
20131241	KNM10---F6-B-2R	60mm	M10	31.75	31.24	15.75	Blind Hole
20131258	KNM12---F6-B-2R	60mm	M12	31.75	31.24	15.75	Blind Hole
20132040	KNM10---F6-L-2R	60mm	M10	31.75	31.24	15.75	Thru-hole (Stop Nut)
20132057	KNM12---F6-L-2R	60mm	M12	31.75	31.24	15.75	Thru-hole (Stop Nut)

* Also available in Imperial Threads

Male Knobs



Item No.	Mfg Item No.	A Nominal Diameter	Thread Size	B Hub Diameter	C Knob Height	D Hub Height	Stud Length
20128920	KNM1020MF6---2R	60mm	M10	31.75	31.24	15.75	20
20128937	KNM1025MF6---2R	60mm	M10	31.75	31.24	15.75	25
20128944	KNM1030MF6---2R	60mm	M10	31.75	31.24	15.75	30
20128951	KNM1035MF6---2R	60mm	M10	31.75	31.24	15.75	35
20128968	KNM1040MF6---2R	60mm	M10	31.75	31.24	15.75	40
20128975	KNM1230MF6---2R	60mm	M12	31.75	31.24	15.75	30
20128982	KNM1240MF6---2R	60mm	M12	31.75	31.24	15.75	40
20128999	KNM1250MF6---2R	60mm	M12	31.75	31.24	15.75	50
20129002	KNM1260MF6---2R	60mm	M12	31.75	31.24	15.75	60

* Also available in Imperial Threads

T5 Series

Metric Clamping Wing Knobs


Specifications:

Knob Material: 100% Recycled Polypropylene


Insert Material: Steel

Finish: Zinc Plated


Color: Black



Female Knobs



Blind



Thru-Hole

Item No.	Mfg Item No.	A Nominal Diameter	Thread Size	B Hub Diameter	C Knob Height	D Hub Height	Knob Type
20132583	KNM8---T5---2R	50mm	M8	19.05	26.42	12.45	Thru-Hole
20132590	KNM10---T5---2R	50mm	M10	19.05	26.42	12.45	Thru-Hole
20132606	KNM8---T5-B-2R	50mm	M8	19.05	26.42	12.45	Blind Hole
20132613	KNM10---T5-B-2R	50mm	M10	19.05	26.42	12.45	Blind Hole
20132811	KNM8---T5-L-2R	50mm	M8	19.05	26.42	12.45	Thru-hole (Stop Nut)

* Also available in Imperial Threads

Male Knobs



Item No.	Mfg Item No.	A Nominal Diameter	Thread Size	B Hub Diameter	C Knob Height	D Hub Height	Stud Length
20130220	KNM815MMT5---2R	50mm	M8	19.05	26.42	12.45	15
20130237	KNM820MMT5---2R	50mm	M8	19.05	26.42	12.45	20
20130244	KNM825MMT5---2R	50mm	M8	19.05	26.42	12.45	25
20130251	KNM830MMT5---2R	50mm	M8	19.05	26.42	12.45	30
20130268	KNM835MMT5---2R	50mm	M8	19.05	26.42	12.45	35
20130275	KNM840MMT5---2R	50mm	M8	19.05	26.42	12.45	40

* Also available in Imperial Threads

T1 Series

T-Handle Metric Clamping Knobs


Specifications:

Knob Material: 100% Recycled Polypropylene


Insert Material: Steel

Finish: Zinc Plated

Color: Black



Female Knobs



Blind




Thru-Hole

Item No.	Mfg Item No.	A Nominal Diameter	Thread Size	B Hub Diameter	C Knob Height	D Hub Height	Knob Type
20132545	KNM6---T1---2R	30mm	M6	12.70	23.88	9.91	Thru-Hole
20132552	KNM8---T1---2R	30mm	M8	12.70	23.88	9.91	Thru-Hole
20132569	KNM6---T1-B-2R	30mm	M6	12.70	23.88	9.91	Blind Hole
20132576	KNM8---T1-B-2R	30mm	M8	12.70	23.88	9.91	Blind Hole
20132798	KNM6---T1-L-2R	30mm	M6	12.70	23.88	9.91	Thru-hole (Stop Nut)

* Also available in Imperial Threads

Male Knobs



Item No.	Mfg Item No.	A Nominal Diameter	Thread Size	B Hub Diameter	C Knob Height	D Hub Height	Stud Length
20130183	KNM610MMT1---2R	30mm	M6	12.70	23.88	9.91	10
20130190	KNM625MMT1---2R	30mm	M6	12.70	23.88	9.91	25
20130206	KNM630MMT1---2R	30mm	M6	12.70	23.88	9.91	30
20130213	KNM640MMT1---2R	30mm	M6	12.70	23.88	9.91	40

* Also available in Imperial Threads



STOCK2SHIP
By Essentra

**YOU'LL HAVE WHAT YOU NEED
WHEN YOU NEED IT:**

- Over 15,000 popular products ready for shipping
- Speak to one of our experts about your application requirements.

Enhance the functionality, user experience, and aesthetics of your equipment with Essentra's diverse range of knobs, handles, and grips suitable for every application. Visit essentracomponents.com to shop the full product range.



OUR SUSTAINABILITY TARGETS

Over 20% of our polymers are from sustainable sources today and Essentra is committed to reaching over 50% by 2030. These knobs are manufactured from recycled Polypropylene as part of this effort.