



TUBE GLIDES, FEET & BUMPERS

www.essentracomponents.com

800 847 0486



TUBE INSERT & GLIDE SELECTOR GUIDE..... 3



SQUARE INSERT GLIDES..... 4 - 7



SQUARE THREADED INSERT GLIDES 7 - 8



SQUARE AND ANGLE IRON CAPS..... 9



ROUND TUBE INSERT GLIDES10 - 14



ROUND THREADED INSERT GLIDES 15 - 16



FERRULE & TUBE CAPS 17 - 18



RECTANGLE TUBE INSERT GLIDES 19 - 21



OVAL INSERT GLIDES 21



TACK, SCREW-IN & ADHESIVE GLIDES.....22



PLASTIC BASED LEVELERS 23 - 25



ADJUSTABLE FEET26



BASE CAPS AND RIVET FEET.....27




STEM BUMPERS 28 - 32




BUMPERS & STICK-ON FEET33 - 34

Step 1: Determine Tube Size = Actual OD of Tubing




Step 2: Determine the Wall Thickness to Determine Tube Gauge




Wall Thickness (inches)	0.239	0.224	0.209	0.194	0.179	0.164	0.149	0.134	0.120	0.109	0.095	0.083	0.072	0.065	0.058	0.049	0.042	0.035	0.028
(mm)	6.1	5.7	5.3	4.9	4.5	4.2	3.8	3.4	3	2.8	2.4	2.1	1.8	1.7	1.5	1.2	1.1	0.9	0.7
Tube Gauge	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	22

Step 3: Select your desired...

Style:



Ribbed Design – Fits Multiple Gauges
Non-Load Bearing



Straight Wall Design – Fits Single Gauge
Load Bearing

Shape & Finish:




Flat, Rounded, Angled,
or Articulating



Polished, Textured (Matte),
or Chromed

SQR Series

Square Multi-Gauge Ribbed Tube Inserts




Specifications:

- Material: Low-Density Polyethylene
- Surface Finish: Polished and Textured
- Color: See Table

Features:

- Ideal for aesthetic or light-duty load bearing applications
- Perimeter rib design allows for easy assembly and a secure fit
- Used on a wide range of furniture and metal tubing applications



Imperial

Black Item No.		White Item No.		Tube OD		Wall Thickness		Bulk Pack Qty
Polished	Textured	Polished	Textured	in	Tube Gauge	in		
SQR051620A	—	—	—	0.500	16-20	0.035-0.065	10000	
SQR111193A	SQR111211A	SQR111229A	—	0.500	14-20	0.035-0.083	2500	
SQR061620C	—	—	—	0.625	16-20	0.035-0.065	5000	
SQR111195A	SQR111213A	—	—	0.625	12-20	0.035-0.109	2500	
SQR111196A	SQR111214A	SQR111232A	—	0.750	12-20	0.035-0.109	2500	
SQR071620C	—	—	—	0.750	16-20	0.035-0.065	5000	
SQR081618A	—	—	—	0.875	16-18	0.049-0.065	4000	
SQR101014A	—	SQR101014D	—	1.000	10-14	0.083-0.134	2000	
SQR101420D	—	—	—	1.000	14-20	0.035-0.083	2500	
SQR111200A	SQR111218A	SQR111235A	—	1.000	11-19	0.042-0.120	2500	
SQR111620A	—	—	—	1.125	16-20	0.035-0.065	2000	
—	—	SQR199150A	—	1.125	14-20	0.035-0.083	2000	
SQR121014A	—	—	—	1.250	10-14	0.083-0.134	2000	
SQR121420A	—	—	—	1.250	14-20	0.035-0.083	2000	
—	—	—	SQR111616A	1.250	11-19	0.042-0.120	1500	
SQR131016A	—	—	—	1.375	10-16	0.065-0.134	900	
SQR111202A	SQR111220A	SQR111238A	—	1.375	11-19	0.042-0.120	1500	
SQR151014A	—	—	—	1.500	10-12	0.083-0.109	1000	
SQR111503A	SQR111541A	SQR111617A	—	1.500	12-19	0.042-0.120	1000	
SQR151418A	—	—	—	1.500	14-18	0.049-0.083	1000	
SQR171014A	—	SQR171014C	—	1.750	10-14	0.083-0.134	500	
SQR171418A	SQR171418B	SQR171418C	—	1.750	14-18	0.049-0.083	500	
—	SQR200508A	—	—	2.000	5-8	0.164-0.209	500	
SQR201014A	—	—	—	2.000	10-14	0.083-0.134	350	
SQR201418A	—	—	—	2.000	14-18	0.049-0.083	500	
SQR111206A	SQR111224A	SQR111242A	—	2.000	11-19	0.042-0.120	500	
—	SQR251014A	—	—	2.500	10-14	0.083-0.134	250	
SQR111504A	SQR111542A	—	—	2.500	11-19	0.042-0.120	250	
—	SQR300508A	—	—	3.000	5-8	0.164-0.209	200	
—	SQR301014A	—	—	3.000	10-14	0.083-0.134	200	
SQR111507A	SQR111545A	—	SQR111621A	3.000	8-14	0.083-0.164	200	
SQR3511B	—	—	—	3.500	8-11	0.120-0.164	70	
—	SQR400408A	—	—	4.000	4-8	0.164-0.224	75	
—	SQR400711B	—	—	4.000	7-11	0.120-0.179	70	
—	SQR500711A	—	—	5.000	7-11	0.120-0.179	48	
—	SQR60188A	—	—	6.000	10-14	0.083-0.134	26	

Metric

Black Item No.		Tube OD In	Tube Gauge	Wall Thickness In	Bulk Pack Qty
Polished	Textured				
SQR111197A	SQR111215A	20.00	12-20	0.035-0.109	2500
SQR111198A	SQR111216A	22.00	12-20	0.035-0.109	2500
SQR111199A	SQR111217A	25.00	12-20	0.035-0.109	2500
SQR111502A	SQR111540A	32.00	11-19	0.042-0.120	1500
SQR111203A	SQR111221A	40.00	11-19	0.042-0.120	500
SQR111204A	SQR111222A	45.00	11-19	0.042-0.120	500
SQR111205A	SQR111223A	50.00	11-19	0.042-0.120	500
SQR111207A	SQR111225A	60.00	11-19	0.042-0.120	250
SQR111810A	SQR111811A	60.00	9-14	0.083-0.149	250
SQR111506A	SQR111544A	75.00	8-14	0.083-0.164	200
SQR111209A	SQR111227A	80.00	8-14	0.083-0.164	150
SQR111210A	SQR111228A	100.00	8-14	0.083-0.164	100

SQUARE INSERT GLIDES

Square Metric Multi-Wall Ribbed Tube Inserts

Specifications:

- Material: LDPE
- Color: Black
- Surface Finish: Texture

Features:

- Ideal for aesthetic or light-duty load bearing applications
- Press fit assures a secure hold in the tubing

Item No.	Tube OD (AxA)	Wall Thickness (T1)	Height (h)	Bulk Pack Qty
	mm	mm	mm	
20594275	10 x 10	0.8 - 2.5	12.0	17500
20594282	12 x 12	1.0 - 2.0	12.0	12500
20594299	13 x 13	0.5 - 2.0	12.0	10000
20594305	15 x 15	1.0 - 2.0	11.5	6000
20594312	18 x 18	1.5 - 3.0	11.5	5000
20594329	20 x 20	1.0 - 3.0	11.5	5000
20594336	22 x 22	1.0 - 3.5	12.0	3000
20594343	25 x 25	1.0 - 3.0	11.5	2500
20594350	30 x 30	1.0 - 3.0	11.5	2000
20594367	32 x 32	1.0 - 3.5	11.5	1500
20594374	35 x 35	1.0 - 3.0	14.5	1500
20594381	35 x 35	2.5 - 5.0	12.0	1250
20594398	40 x 40	1.0 - 3.0	14.5	500
20594404	40 x 40	3.0 - 5.0	14.5	800
20594411	45 x 45	1.0 - 3.0	14.5	500
20594428	45 x 45	3.0 - 5.0	14.5	600
20594435	50 x 50	1.0 - 2.5	14.5	500

Item No.	Tube OD (AxA)	Wall Thickness (T1)	Height (h)	Bulk Pack Qty
	mm	mm	mm	
20594442	50 x 50	2.6 - 4.0	25.0	450
20594459	50 x 50	3.5 - 6.0	14.5	500
20594466	55 x 55	2.0 - 4.5	14.5	400
20594473	60 x 60	1.5 - 3.5	15.0	250
20594480	60 x 60	3.0 - 5.0	17.5	250
20594497	65 x 65	1.0 - 3.0	21.0	250
20594503	70 x 70	1.5 - 4.0	19.0	150
20594510	80 x 80	1.5 - 4.0	21.0	150
20594527	80 x 80	2.5 - 5.0	24.0	150
20594541	90 x 90	3.0 - 5.0	25.0	100
20594558	95 x 95	3.5 - 5.5	21.5	200
20594565	100 x 100	1.0 - 4.0	24.0	100
20594572	100 x 100	5.0 - 8.0	24.0	100
20594589	110 x 110	3.0 - 5.0	24.0	60
20594596	120 x 120	2.5 - 6.0	25.0	50
20594619	140 x 140	4.0 - 7.0	34.0	40
20594626	150 x 150	5.0 - 8.0	27.0	60

SIG Series
 Square Load Bearing Glides

Specifications:

- Material: See Table
- Color: See Table

Features:

- Suitable for light and heavy-duty applications
- Step lead provides easy installation
- Press fit assures a secure hold in tubing

Item No.	Tube Size	Tube Gauge	Material	Wall Thickness	Color	Bulk Pack Qty
	in			in		
SIG1100A	0.375	16	ABS	0.065	Black	5000
SIG1105A	0.375	19	ABS	0.042	Black	5000
SIG1108A	0.500	14	ABS	0.083	Black	4000
SIG1110A	0.500	16	ABS	0.065	Black	15000
SIG1115A	0.500	18	ABS	0.049	Black	15000
SIG1120A	0.625	16	ABS	0.065	Black	8000
SIG1125A	0.625	17	ABS	0.058	Black	8000
SIG1130A	0.625	18	ABS	0.049	Black	8000
SIG1135A	0.625	20	ABS	0.035	Black	8000
SIG1140A	0.695	18	ABS	0.049	Black	5000
SIG1145A	0.715	18	ABS	0.049	Black	5000
SIG1150A	0.725	11	ABS	0.120	Black	5000
SIG1155A	0.725	16	ABS	0.065	Black	5000
SIG1160A	0.750	11	ABS	0.120	Black	5800
SIG1165A	0.750	13	ABS	0.095	Black	6000
SIG1170A	0.750	15	ABS	0.072	Black	4000
SIG1175A	0.750	16	ABS	0.065	Black	5500
SIG1180A	0.750	18	ABS	0.049	Black	5500
SIG1185A	0.750	19	ABS	0.042	Black	5500
SIG1190A	0.750	20	ABS	0.035	Black	5500
SIG1200A	0.812	14	ABS	0.083	Black	4500
SIG1205A	0.812	16	ABS	0.065	Black	4500
SIG1210A	0.812	18	ABS	0.049	Black	4500
SIG1215A	0.875	11	ABS	0.120	Black	5000
SIG1220C	0.875	16	ABS	0.065	Black	4000
SIG1225A	0.875	18	ABS	0.049	Black	4000
SIG1235A	1.000	11	ABS	0.120	Black	3200
SIG1240A	1.000	14	ABS	0.083	Black	3000
SIG1244C	1.000	16	Butyrate	0.065	Clear	2800

Item No.	Tube Size	Tube Gauge	Material	Wall Thickness	Color	Bulk Pack Qty
	in			in		
SIG1245A	1.000	16	ABS	0.065	Black	2800
SIG1250A	1.000	17	ABS	0.058	Black	2800
SIG1255A	1.000	18	ABS	0.049	Black	2800
SIG1260A	1.000	20	ABS	0.035	Black	3200
SIG1265A	1.000	22	ABS	0.035	Black	3200
SIG1270A	1.125	16	ABS	0.065	Black	2200
SIG1275A	1.125	18	ABS	0.049	Black	2200
SIG1280A	1.250	11	ABS	0.120	Black	2200
SIG1285A	1.250	12	ABS	0.109	Black	2000
SIG1290A	1.250	14	ABS	0.083	Black	1500
SIG1295A	1.250	16	ABS	0.065	Black	1700
SIG1300A	1.250	18	ABS	0.049	Black	1800
SIG1305A	1.500	10	ABS	0.134	Black	1800
SIG1310A	1.500	11	ABS	0.120	Black	1200
SIG1315A	1.500	12	ABS	0.109	Black	1200
SIG1320C	1.500	14	ABS	0.083	Black	1300
SIG1325A	1.500	16	ABS	0.065	Black	1100
SIG1330A	1.500	18	ABS	0.049	Black	1200
SIG1335A	1.500	20	ABS	0.035	Black	1200
SIG1340A	1.750	11	ABS	0.120	Black	1000
SIG1345A	1.750	14	ABS	0.083	Black	1000
SIG1350A	1.750	16	ABS	0.065	Black	900
SIG1353C	2.000	11	ABS	0.120	Black	1000
SIG1365A	2.000	12	ABS	0.109	Black	1000
SIG1370A	2.000	14	ABS	0.083	Black	1000
SIG1375A	2.000	16	ABS	0.065	Black	1000
SIG1380A	2.000	18	ABS	0.049	Black	1000
SIG1385A	2.500	11	ABS	0.120	Black	500
SIG1390A	3.000	11	ABS	0.120	Black	500



Square Metric Load Bearing Glides

Specifications:

- Material: ABS
- Color: Black
- Surface Finish: Textured

Features:

- Suitable for light to heavy-duty applications
- Press fit assures a secure hold in the tubing



Item No.	Tube OD (AxA)	Wall Thickness (T1)	Height (h)	Bulk Pack Qty
	mm	mm	mm	
20599867	12 x 12	1.0	7.0	1000
20599874	12 x 12	1.2	7.0	1000
20599881	15 x 15	1.0	8.5	1000
20599898	15 x 15	1.2	8.5	1000
20599904	15 x 15	1.5	8.5	1000
20599911	20 x 20	1.0	7.0	1000
20599928	20 x 20	1.2	7.0	1000
20599935	20 x 20	1.5	7.0	1000
20599942	25 x 25	1.0	7.0	1000
20599959	25 x 25	1.2	7.0	1000

Item No.	Tube OD (AxA)	Wall Thickness (T1)	Height (h)	Bulk Pack Qty
	mm	mm	mm	
20599966	25 x 25	1.5	7.0	1000
20599973	25 x 25	2.0	7.0	1000
20599980	30 x 30	1.0	10.0	500
20599997	30 x 30	1.2	10.0	500
20600006	30 x 30	1.5	10.0	500
20600013	50 x 50	1.2	11.0	500
20600020	50 x 50	1.5	11.0	500
20600037	50 x 50	2.0	11.0	500
20604011	50 x 50	3.0	11.0	500

SQP Series

Square Ribbed Tube Inserts - Chrome Finish



Specifications:

- Material: Low-Density Polyethylene
- Color: Black with High-Polished Metal-Finish Shell



Features:

- Polished metallic finish provides enhanced aesthetic appearance
- Horizontal ribbing allows for built-in flexibility to fit multiple tube gauges



Item No.	D		d		h		Wall Thickness		Bulk Pack Qty
	in	mm	in	mm	in	mm	Tube Gauge (in)	mm	
SQP465341A	0.625	15.88	0.079	2.00	0.354	9.00	14-19 (0.040 - 0.080)	1.0 - 2.0	1000
SQP460959A	0.709	18.00	0.079	2.00	0.354	9.00	14-19 (0.040 - 0.080)	1.0 - 2.0	1000
SQP465340A	0.750	19.05	0.079	2.00	0.394	10.00	14-19 (0.040 - 0.080)	1.0 - 2.0	1000
SQP465343A	1.000	25.40	0.079	2.00	0.394	10.00	14-19 (0.040 - 0.080)	1.0 - 2.0	1000
SQP465342A	1.181	30.00	0.118	3.00	0.394	10.00	14-19 (0.040 - 0.080)	1.0 - 2.0	1000
SQP460964A	1.375	35.00	0.118	3.00	0.472	12.00	14-19 (0.040 - 0.080)	1.0 - 2.0	1000
SQP465344A	1.575	40.00	0.118	3.00	0.472	12.00	14-19 (0.040 - 0.080)	1.0 - 2.0	1000

AFSQ Series

Square Angled Tube Inserts

Specifications:

- Material: Low-Density Polyethylene
- Color: Black

Features:

- These angled feet are ideal for stacking chairs, children's play equipment and step ladders



Item No.	Tube Size		Tube Gauge	Wall Thickness		Degree	Bulk Pack Qty
	in	mm		in			
AFSQ07161805A*	0.750	19.05	16-18	0.049-0.065		5°	2500
AFSQ07161825A*	0.750	19.05	16-18	0.049-0.065		25°	2500
AFSQ10162015A	1.000	25.40	16-20	0.035-0.065		15°	1000

* Has a built-in bumper

SQUARE INSERT GLIDES / THREADED INSERT GLIDES

SRG Series
Square Domed Tube Glides

- Specifications:
- Material: ABS
 - Color: Black

- Features:
- Ideal for applications with variable leg angles
 - Square rocker glides fit flush with tubing outer dimensions for a clean, finished look




Item No.	Tube Size	Tube Gauge	Wall Thickness	Bulk Pack Qty
	in		in	
SRG1010A	0.750	16	0.065	4000
SRG1020A	0.750	18	0.049	4000
SRG1030A	0.813	16	0.065	3000
SRG1115A	0.813	17	0.058	4000
SRG1120A	0.813	18	0.049	700
SRG1045A	0.875	16	0.065	3000
SRG1055A	0.875	18	0.049	2700

Item No.	Tube Size	Tube Gauge	Wall Thickness	Bulk Pack Qty
	in		in	
SRG1075A	0.940	18	0.049	2700
SRG1080A	1.000	16	0.065	2000
SRG1100A	1.000	18	0.049	2000
SRG1125A	1.250	16	0.065	1100
SRG1135A	1.250	18	0.049	1100
SRG1145A	1.500	18	0.049	1000

DFSQ Series
Square Domed Tube Inserts

- Specifications:
- Material: Low-Density Polyethylene
 - Color: Black

- Features:
- Can accommodate any degree of leg angle, while the horizontal ribbed design has built-in flexibility to fit multiple tube gauge sizes



Item No.	Tube Size		Tube Gauge	Bulk Pack Qty
	in	mm		
DFSQ111525A	0.787	20.00	18-25	2500
DFSQ081620A	0.875	22.22	16-20	1750
DFSQ101620A	1.000	25.40	16-20	1250

STI Series
Square Plastic Threaded Inserts

- Specifications:
- Material: Nylon
 - Color: See Table

- Features:
- Can be used with either adjustable feet or tilt glides



Item No.	Color	Ø Tube	Tube Gauge	Thread Size	Bulk Pack Qty
		in			
STI1200B	Black	0.750	16	1/4 - 20	5000
STI1215A	Natural	0.875	16	1/4 - 20	1900
STI1215B	Black	0.875	16	1/4 - 20	1900
STI1220A	Natural	1.000	16	1/4 - 20	3000
STI1240A	Natural	1.000	18	1/4 - 20	2700
STI1260A	Natural	1.000	18	5/16 - 18	2700
STI1260B	Black	1.000	18	5/16 - 18	2700
STI1270A	Natural	1.250	16	5/16 - 18	1800

TAS Series
Square Threaded All Metal Inserts

- Specifications:
- Material: Steel with Zinc Plated Finish

- Features:
- Metal ribs lock onto inside of square tube



Item No.	Fits Tube	Thread	Fits Tube Gauge	Bulk Pack Qty
	in			
TAS240A	1	5/16 - 18	16 - 18	1000
TAS260A	1 - 1/4	5/16 - 18	16 - 18	500
TAS460A	1 - 1/4	3/8 - 16	16 - 18	500
TAS270A	1 - 1/2	5/16 - 18	16 - 18	500
TAS470A	1 - 1/2	3/8 - 16	16 - 18	500


SQM Series Square Metal Threaded Inserts

Specifications:

- Material: HDPE with Zinc-Plated Steel-Threaded Insert
- Color: Black

Features:

- Tube inserts with internal threads to accommodate adjustable leveling mounts and feet
- Ribbed to accommodate multiple gauges



Imperial

Item No.	Tube Size	Thread Size	Tube Gauge	Wall Thickness in	Bulk Pack Qty
SQM0150A	0.750	1/4 - 20	16 - 18	0.049 - 0.065	1000
SQM0200A	0.875	1/4 - 20	16 - 18	0.049 - 0.065	1000
SQM0300A	1.000	1/4 - 20	16 - 18	0.049 - 0.065	1000
SQM0350A	1.000	5/16 - 18	16 - 18	0.049 - 0.065	1000
SQM0400A	1.000	1/4 - 20	12 - 14	0.083 - 0.109	1000
SQM0450A	1.000	5/16 - 18	12 - 14	0.083 - 0.109	1000
SQM0500A	1.000	1/4 - 20	10 - 11	0.120 - 0.134	1000
SQM0550A	1.000	5/16 - 18	10 - 11	0.120 - 0.134	1000
SQM0600A	1.250	5/16 - 18	16 - 18	0.049 - 0.065	500
SQM0650A	1.250	3/8 - 16	16 - 18	0.049 - 0.065	500
SQM0700A	1.250	5/16 - 18	12 - 14	0.083 - 0.109	500
SQM0750A	1.250	3/8 - 16	12 - 14	0.083 - 0.109	500
SQM0800A	1.250	5/16 - 18	10 - 11	0.120 - 0.134	500
SQM0850A	1.250	3/8 - 16	10 - 11	0.120 - 0.134	500
SQM0900A	1.375	3/8 - 16	16 - 18	0.049 - 0.065	500
SQM1000A	1.500	3/8 - 16	16 - 18	0.049 - 0.065	500

Metric

Item No.	Tube Size mm	Thread Size mm	Tube Gauge mm	Wall Thickness mm	Bulk Pack Qty
498583	19	M6	17 - 19	1.1 - 1.5	1000
498584	20	M6	17 - 19	1.1 - 1.5	1000
498585	20	M8	17 - 19	1.1 - 1.5	1000
498586	25	M6	17 - 19	1.1 - 1.5	500
498587	25	M8	17 - 19	1.1 - 1.5	500
498588	30	M8	17 - 19	1.1 - 1.5	1000
498589	30	M10	17 - 19	1.1 - 1.5	250
498590	35	M8	17 - 19	1.1 - 1.5	500
498591	35	M10	17 - 19	1.1 - 1.5	500
498592	40	M8	17 - 19	1.1 - 1.5	200
498593	40	M10	17 - 19	1.1 - 1.5	500
498594	40	M12	17 - 19	1.1 - 1.5	500
498595	50	M8	17 - 19	1.1 - 1.5	100
498596	50	M10	17 - 19	1.1 - 1.5	250
498597	50	M12	17 - 19	1.1 - 1.5	250

SQH Series Square Heavy Duty Threaded Inserts

Specifications:

- Material: Glass-Filled Nylon with Brass Threaded Insert
- Color: Black

Features:

- Threaded brass insert for indoor and outdoor use
- High load rating is ideal for machinery use



Imperial

Item No.	Tube Size in	Thread Size	Tube Gauge	Wall Thickness in	Max Static Load lbs	Bulk Pack Qty
SQH0100A	1.5	3/8-16	16	0.065	1350	48
SQH0150A	1.5	1/2-13	16	0.065	1350	48
SQH0200A	1.5	5/8-11	16	0.065	1350	48
SQH0250A	1.5	3/4-10	16	0.065	1800	48
SQH0300A	1.5	3/8-16	11	0.12	1350	48
SQH0350A	1.5	1/2-13	11	0.12	1350	48
SQH0400A	1.5	5/8-11	11	0.12	1350	48
SQH0450A	1.5	3/4-10	11	0.12	1800	48
SQH0500A	2	3/8-16	16	0.065	1350	24
SQH0550A	2	1/2-13	16	0.065	1350	24
SQH0600A	2	5/8-11	16	0.065	1350	24
SQH0650A	2	3/4-10	16	0.065	2000	24
SQH0700A	2	3/8-16	12	0.109	1350	24
SQH0750A	2	1/2-13	12	0.109	1350	24
SQH0800A	2	5/8-11	12	0.109	1350	24
SQH0850A	2	3/4-10	12	0.109	2000	24

Metric

Item No.	Tube Size mm	Thread Size mm	Tube Gauge mm	Max Static Load N	Bulk Pack Qty
1286358	30	M10	1.5	4500	48
1286359	30	M12	1.5	4500	48
1286360	30	M16	1.5	4500	48
1286361	40	M10	1.5	6000	48
1286362	40	M12	1.5	6000	48
1286363	40	M16	1.5	6000	48
1286364	40	M20	1.5	8000	48
1286365	40	M10	2	6000	48
1286366	40	M12	2	6000	48
1286367	40	M16	2	6000	48
1286368	40	M20	2	8000	48
1286369	50	M12	1.5	6000	24
1286370	50	M16	1.5	6000	24
1286371	50	M20	1.5	8500	24
1286372	50	M12	2	6000	24
1286373	50	M16	2	6000	24
1286374	50	M20	2	8500	24

**We make finding
your ideal
product easy!**

Need help? Call us!
800 847 0486



SQUARE AND ANGLE IRON CAPS

DMSQ Series
 Square Vinyl End Caps



- Specifications:
- Material: PVC
 - Color: See Table

- Features:
- Designed to fit the most popular sizes of square tubular steel
 - Material flexibility will stretch to fit normal tube diameter tolerance variations
 - Glossy and attractive finish makes this part ideal for use as a decorative end cap




Black Item No. 1/2" Length (B)	Bulk Pack Qty	Black Item No. 1" Length (B)	Bulk Pack Qty	White Item No. 1" Length (B)	Bulk Pack Qty	A	
						in	mm
DMSQ0250-1/2A	5000	DMSQ0250-1A	6500	—	—	0.250	6.35
DMSQ0312-1/2A	5000	DMSQ0312-1A	5000	—	—	0.312	7.92
DMSQ0375-1/2A	5000	DMSQ0375-1A	5000	—	—	0.375	9.52
DMSQ0437-1/2A	5000	DMSQ0437-1A	5000	—	—	0.437	11.09
DMSQ0500-1/2A	5000	DMSQ0500-1A	4000	—	—	0.500	12.70
DMSQ0625-1/2A	3500	DMSQ0625-1A	2000	—	—	0.625	15.87
DMSQ0750-1/2A	3500	DMSQ0750-1A	2000	DMSQ0750-1C	2000	0.750	19.05
DMSQ1000-1/2A	2000	DMSQ1000-1A	1500	DMSQ1000-1C	1500	1.000	25.40
DMSQ1250-1/2A	2000	DMSQ1250-1A	1000	—	—	1.250	31.75
DMSQ1500-1/2A	1500	DMSQ1500-1A	500	—	—	1.500	38.10
DMSQ2000-1/2A	500	DMSQ2000-1A	325	—	—	2.000	50.80

SQC Series
 Square Heavy Duty End Caps

- Specifications:
- Material: See Table
 - Color: Black

- Features:
- End cap style design fits most popular sizes of square tubular steel




Item No.	Tube Size		Material	Bulk Pack Qty
	in	mm		
SQC0500A	0.500	12.70	LDPE	5000
SQC1000A*	1.000	25.40	ABS	1700
SQC1250A	1.250	31.75	LDPE	1200
SQC3000A	3.000	76.20	LDPE	100

AIC Series
 Angle Iron Caps

- Specifications:
- Material: Low-Density Polyethylene
 - Color: Black

- Features:
- Angle iron caps are an affordable answer to the problem of protecting floors from the sharp edges of angle iron furniture
 - Angle iron caps are also used as caps on metal bed frames and shelves and will not rust while also eliminating the cost of welding steel closures



Item No.	Leg Length		Leg Gauge		Bulk Pack Qty
	in	mm	in	mm	
AIC1000A	1.000	25.40	0.125	3.18	2200
AIC1125A	1.250	31.74	0.125	3.18	1400
AIC1128A	1.500	38.10	0.125	3.18	1000
AIC2000A	1.290	32.78	0.125	3.18	600

ROUND TUBE INSERT GLIDES

RDR Series
Round Multi-Gauge Ribbed Tube Inserts

- Specifications:
- Material: Low-Density Polyethylene
 - Surface Finish: See Table
 - Color: See Table
- Features:
- Ideal for aesthetic or light-duty load bearing applications
 - Perimeter rib design allows for easy assembly and a secure fit
 - Used on a wide range of furniture and metal tubing applications



See page 3 for Sizing and Selector Guide

Imperial

Black Item No.		White Item No.		Tube OD		Bulk Pack Qty
Polished	Textured	Polished	Textured	in	Tube Gauge	
RDR111033A	RDR111053A	RDR111073A	—	0.500	16 - 20	2500
RDR111036A	RDR111056A	RDR111076A	—	0.750	14 - 20	1500
—	RDR081012A	—	RDR081012D	0.875	10 - 12	5000
RDR081420D	—	RDR111078A	—	0.875	14 - 20	5000
—	RDR101111A	—	—	1.000	10 - 12	2000
RDR101420D	RDR101420F	—	—	1.000	14 - 20	4000
RDR111040A	RDR111060A	RDR111080A	—	1.000	11 - 19	1000
RDR111042A	RDR111062A	RDR111082A	—	1.125	11 - 19	1000
RDR121014B	—	—	—	1.250	10 - 14	2500
RDR111044A	RDR111064A	RDR111084A	—	1.250	11 - 19	1000
RDR131418A	—	—	—	1.375	14 - 18	1200
RDR111492A	RDR111530A	—	—	1.375	11 - 19	1500
RDR150812A	—	—	—	1.500	8 - 12	1500
—	RDR151012A	—	—	1.500	10 - 12	1500
RDR111046A	RDR111066A	—	—	1.500	11 - 19	1000
RDR111495A	RDR111533A	RDR111571A	RDR111609A	1.625	11 - 19	1000
—	RDR171012A	—	—	1.750	10 - 12	1000
RDR111497A	RDR111535A	—	RDR111611A	1.750	11 - 19	1000
RDR111498A	RDR111536A	—	RDR111612A	1.875	11 - 19	800
RDR201014A	—	—	—	2.000	10 - 14	500
—	RDR201420A	—	—	2.000	14 - 18	500
RDR111049A	RDR111069A	RDR111089A	—	2.000	11 - 19	500
RDR230508B	RDR230508A	—	—	2.375	5 - 8	400
—	RDR231014A	—	—	2.375	10 - 14	400
—	RDR250812A	—	—	2.500	8 - 12	400
RDR111500A	RDR111538A	—	RDR111614A	2.500	11 - 19	250
RDR460674A	RDR465601A	—	—	2.750	8 - 14	500
—	RDR280407A	—	—	2.875	4 - 7	300
—	RDR300812A	—	—	3.000	8 - 12	250
—	RDR301418A	—	—	3.000	14 - 18	250
RDR111052A	RDR111072A	RDR111092A	—	3.000	8 - 14	250
RDR400511A	—	—	—	4.000	5 - 11	150
RDR450711A	—	—	—	4.500	7 - 11	100

Metric

Black Item No.		White Item No.	Tube OD		Bulk Pack Qty
Polished	Textured	Textured	mm	Tube Gauge	
—	RDR111527A	—	10.00	11 - 19	2500
RDR111490A	RDR111528A	RDR111603A	12.00	14 - 20	2500
RDR111034A	—	—	13.00	14 - 20	2500
—	RDR460660A	—	15.00	14 - 20	2500
RDR111035A	RDR111055A	—	16.00	14 - 20	5000
RDR111037A	RDR111057A	—	20.00	14 - 20	1500
RDR111038A	RDR111058A	—	22.00	14 - 20	1500
RDR111043A	RDR111063A	—	30.00	11 - 19	1000

Black Item No.		White Item No.	Tube OD		Bulk Pack Qty
Polished	Textured	Textured	mm	Tube Gauge	
RDR111044A	RDR111064A	RDR111084A	32.00	11 - 19	1000
—	RDR111795A	—	32.00	11 - 14	1000
—	RDR111067A	—	40.00	11 - 19	1000
RDR111494A	RDR111532A	—	42.00	11 - 19	1000
RDR111496A	—	RDR111610A	45.00	11 - 19	1000
—	RDR465600A	—	55.00	11 - 19	600
RDR111050A	RDR111070A	—	60.00	11 - 19	400
—	RDR465596A	—	105.00	7 - 14	75

END CAPS




FREE
SAMPLES
AVAILABLE

800-847-0486
www.essentracomponents.com

ROUND TUBE INSERT GLIDES

Round Metric Multi-Walled
Ribbed Tube Inserts



Specifications:

- Material: LDPE
- Color: Black
- Surface Finish: Textured


Features:

- Ideal for aesthetic or light-duty load bearing applications
- Perimeter rib design allows for easy assembly and secure fit
- Used on a wide range of furniture and metal tubing applications

Item No.	Tube OD (D)	Wall Thickness (T1)	Height (h)	Bulk Pack Qty
	mm	mm	mm	
20594930	14	0.8 - 2.0	11.5	12500
20594947	15	0.8 - 2.0	11.5	12500
20594954	16	0.8 - 2.0	11.5	10000
20594961	18	0.8 - 2.0	11.5	8000
20594978	19	0.8 - 2.0	11.5	10000
20594985	20	0.8 - 2.5	11.5	6000
20594992	22	0.8 - 3.0	11.5	5000
20595005	25	1.0 - 3.0	11.5	3500

Item No.	Tube OD (D)	Wall Thickness (T1)	Height (h)	Bulk Pack Qty
	mm	mm	mm	
20595012	27	0.8 - 3.0	11.5	3000
20595029	28	0.8 - 3.0	11.5	3000
20595036	32	2.8 - 2.5	11.5	2250
20595043	32	2.5 - 4.5	11.5	2250
20595050	38	1.0 - 3.0	11.5	1500
20595067	55	1.0 - 2.5	11.5	600
20595074	60	1.5 - 3.0	11.5	400

RDG Series
Round Load Bearing Glides



Specifications:

- Material: See Table
- Color: Black

Features:

- Glides are designed for use as a glide or plug style closure
- A reduced diameter step-lead is provided for easy positioning and insertion
- Ideal for moderate to heavy-duty applications



Item No.	Tube OD in	Tube Gauge	Wall Thickness in	Material	Bulk Pack Qty
RDG1100A	0.375	19	0.042	ABS	9000
RDG1105A	0.500	16	0.065	ABS	10000
RDG1110A	0.500	18	0.049	ABS	15000
RDG1115A	0.500	20	0.035	ABS	15000
RDG1120A	0.500	21	0.032	ABS	15000
RDG1125A	0.500	22	0.028	ABS	13000
RDG1127A	0.563	19	0.042	HDPE	10000
RDG1130A	0.563	20	0.035	ABS	13000
RDG1135A	0.563	22	0.028	ABS	6500
RDG1140A	0.625	11	0.120	ABS	13000
RDG1145A	0.625	12	0.109	ABS	13000
RDG1150A	0.625	13	0.095	ABS	15000
RDG1155D	0.625	14	0.083	ABS	3000
RDG1160A	0.625	15	0.072	ABS	7000
RDG1165A	0.625	16	0.065	ABS	7000
RDG1168B	0.625	17	0.058	Butyrate	10000
RDG1170A	0.625	17	0.058	ABS	8000
RDG1175A	0.625	18	0.049	ABS	8000
RDG1180A	0.625	20	0.035	ABS	5000
RDG1185A	0.625	22	0.028	ABS	8000
RDG1190A	0.750	13	0.095	ABS	6500
RDG1195C	0.750	14	0.083	ABS	1500
RDG1200A	0.750	16	0.065	ABS	7000
RDG1205A	0.750	17	0.058	ABS	8000
RDG1210A	0.750	18	0.049	ABS	7000
RDG1215A	0.750	19	0.042	ABS	6500
RDG1220A	0.750	20	0.035	ABS	6500
RDG1225A	0.750	22	0.028	ABS	3000
RDG1228B	0.875	13	0.095	LDPE	4500
RDG1230A	0.875	14	0.083	ABS	5000
RDG1235A	0.875	16	0.065	ABS	5000
RDG1240A	0.875	18	0.049	ABS	4500
RDG1245A	0.875	19	0.042	ABS	5000
RDG1250A	0.875	20	0.035	ABS	45000
RDG1255A	1.000	12	0.109	ABS	4000
RDG1264B	1.000	14	0.083	Butyrate	4000
RDG1265A	1.000	14	0.083	ABS	4000
RDG1270A	1.000	15	0.072	ABS	4000
RDG1273B	1.000	16	0.065	Butyrate	4000
RDG1274D	1.000	16	0.065	Nylon	3500
RDG1275A	1.000	16	0.065	ABS	4000

Item No.	Tube OD in	Tube Gauge	Wall Thickness in	Material	Bulk Pack Qty
RDG1280A	1.000	17	0.058	ABS	3500
RDG1285A	1.000	18	0.049	ABS	3500
RDG1290A	1.000	19	0.042	ABS	3500
RDG1295C	1.000	20	0.035	ABS	3500
RDG1305C	1.125	12	0.109	ABS	2500
RDG1310A	1.125	14	0.083	ABS	2800
RDG1315A	1.125	16	0.065	ABS	2800
RDG1320B	1.125	18	0.049	ABS	2800
RDG1325A	1.125	19	0.042	ABS	2800
RDG1327B	1.130	20	0.035	LDPE	2400
RDG1330A	1.250	11	0.120	ABS	2500
RDG1335C	1.250	12	0.109	ABS	2500
RDG1340A	1.250	14	0.083	ABS	2300
RDG1345A	1.250	16	0.065	ABS	2300
RDG1350D	1.250	18	0.049	ABS	2300
RDG1355A	1.375	13	0.095	ABS	1100
RDG1360A	1.375	14	0.083	ABS	2000
RDG1365A	1.375	16	0.065	ABS	2000
RDG1370C	1.375	18	0.049	ABS	2000
RDG1375A	1.375	20	0.035	ABS	1600
RDG1380A	1.500	12	0.109	ABS	1200
RDG1385A	1.500	14	0.083	ABS	1500
RDG1390A	1.500	16	0.065	ABS	1500
RDG1394B	1.500	18	0.049	Butyrate	1400
RDG1395D	1.500	18	0.049	ABS	1500
RDG1400A	1.500	19	0.042	ABS	1500
RDG1405A	1.500	20	0.035	ABS	1500
RDG1408B	1.625	16	0.065	Nylon	1400
RDG1410A	1.625	18	0.049	ABS	1000
RDG1415A	1.750	11	0.120	ABS	1100
RDG1420A	1.750	14	0.083	ABS	1100
RDG1425A	1.750	16	0.065	ABS	1100
RDG1430A	1.750	18	0.049	ABS	1100
RDG1435A	1.750	20	0.035	ABS	1000
RDG1445A	2.000	11	0.120	ABS	850
RDG1455A	2.000	16	0.065	ABS	850
RDG1460A	2.000	18	0.049	ABS	850
RDG1465A	2.000	20	0.035	ABS	1000
RDG1470A	2.500	18	0.049	ABS	500
RDG1475A	3.000	13	0.095	ABS	500

Round Metric Load Bearing Glides




Specifications:

- Material: ABS
- Color: Black
- Surface Finish: Textured

Features:

- Suitable for light to heavy-duty applications
- Press fit assures a secure hold in the tubing
- Used on a wide range of furniture and metal tubing applications



Item No.	Tube OD (D)	Wall Thickness (t)	Height (L)	Bulk Pack Qty
	mm	mm	mm	
20599393	8	1.0	5.0	1000
20599409	10	1.0	5.0	1000
20599416	12	1.0	5.0	1000
20599423	13	1.0	6.0	1000
20599430	14	1.0	8.0	1000
20599447	16	1.0	8.0	1000
20599454	16	1.5	8.0	1000
20599461	18	1.0	8.0	1000
20599478	18	1.2	8.0	1000
20599485	18	1.5	8.0	1000
20599492	20	1.0	4.5	1000
20599508	20	1.2	4.5	1000
20599515	20	1.5	4.5	1000
20599522	22	1.0	8.0	1000
20599539	22	1.2	8.0	1000
20599546	22	1.5	8.0	1000
20599553	22	2.0	8.0	1000
20599560	25	1.0	11.0	1000
20599577	25	1.2	11.0	1000
20599584	25	1.5	11.0	1000
20599591	25	2.0	11.0	1000
20599607	25	2.5	11.0	1000
20599614	28	1.0	10.0	1000

Item No.	Tube OD (D)	Wall Thickness (t)	Height (L)	Bulk Pack Qty
	mm	mm	mm	
20599621	28	1.2	10.0	1000
20599638	28	1.5	10.0	1000
20599645	28	2.0	10.0	1000
20599652	30	1.0	10.0	1000
20599669	30	1.2	10.0	1000
20599676	30	1.5	10.0	1000
20599683	30	2.0	10.0	1000
20599690	32	1.2	10.0	1000
20599706	32	1.5	10.0	1000
20599713	32	2.0	10.0	1000
20599720	35	3.0	10.0	1000
20599737	35	1.0	10.0	1000
20599744	35	1.2	10.0	1000
20599751	35	1.5	10.0	1000
20599768	35	2.0	10.0	1000
20599775	38	1.5	10.0	1000
20599782	38	2.0	10.0	1000
20599799	40	1.0	10.0	500
20599805	40	1.5	10.0	500
20599812	40	2.0	10.0	500
20599829	45	2.0	11.0	500
20599836	60	1.0	11.0	500
20599843	60	1.2	11.0	500
20599850	60	1.5	11.0	500

Round Metric Load Bearing Glides Chrome Finish




Specifications:

- Material: ABS
- Color: See Table
- Surface Finish: Textured

Features:

- Suitable for light to heavy-duty applications
- Press fit assures a secure hold in the tubing
- Used on a wide range of furniture and metal tubing applications



Item No.		Tube OD (D)	Wall Thickness (t)	Height (h)	Bulk Pack Qty
Silver Chrome	Dark Chrome	mm	mm	mm	
20604189	20604318	16	1.0	8	1000
20604196	20604325	16	1.5	8	1000
20604202	20604332	28	1.0	10	1000
20604219	20604349	28	1.2	10	1000
20604226	20604356	28	1.5	10	1000
20604233	20604363	28	2.0	10	1000
20604240	20604370	38	1.5	10	1000
20604257	20604387	38	2.0	10	1000
20604264	20604394	45	2.0	11	500

ROUND TUBE INSERT GLIDES

RLI Series
Round Low Profile Insert Glides

- Specifications:
- Material: Low-Density Polyethylene
 - Color: Black

- Features:
- Lightweight insert glides present a low-cost option for neatly finishing steel tubes



Item No.	Tube OD		Tube Gauge	Wall Thickness	Bulk Pack Qty
	in	mm		in	
RLI0516A	0.500	12.70	16	0.065	10000
RLI0518A	0.500	12.70	18	0.049	10000
RLI0616A	0.625	15.87	16	0.065	10000
RLI0618A	0.625	15.87	18	0.049	10000
RLI0716A	0.750	19.05	16	0.065	5000
RLI0718A	0.750	19.05	18	0.049	5000
RLI0816A	0.875	22.22	16	0.065	5000
RLI0818A	0.875	22.22	18	0.049	5000
RLI1016A	1.000	25.40	16	0.065	5000

Item No.	Tube OD		Tube Gauge	Wall Thickness	Bulk Pack Qty
	in	mm		in	
RLI1018A	1.000	25.40	18	0.049	5000
RLI1116A	1.125	28.57	16	0.065	4000
RLI1118A	1.125	28.57	18	0.049	4000
RLI1216A	1.250	31.75	16	0.065	2500
RLI1218A	1.250	31.75	18	0.049	2500
RLI1518A	1.500	38.10	18	0.049	2000
RLI1718A	1.750	44.45	18	0.049	1500
RLI2018A	2.000	50.80	18	0.049	800

Round Metric Low Profile Insert Glides

- Specifications:
- Material: Low-Density Polyethylene
 - Color: Black
- Features:
- Low profile design allows for a finishing component with limited space




Item No.	Tube OD	Tube Gauge	Wall Thickness	Bulk Pack Qty
	mm		mm	
466562	10	16 - 20	0.80 - 1.50	5000
1298772	12	14 - 16	1.50 - 2.00	5000
RDR466565A	15	16 - 20	0.80 - 2.00	2000
466568	19	16 - 20	0.80 - 2.00	2000
1298776	20	13 - 20	0.80 - 2.50	2000
466570	22	13 - 20	1.00 - 2.50	2000
466571	24	13 - 20	1.00 - 2.50	2000
466572	25	13 - 20	1.00 - 2.50	3500
1339575	28	13 - 20	0.80 - 2.50	3000
1339577	30	13 - 20	0.80 - 2.50	2500

Item No.	Tube OD	Tube Gauge	Wall Thickness	Bulk Pack Qty
	mm		mm	
1339578	32	13 - 20	0.80 - 2.50	2250
466576	35	11 - 19	1.00 - 3.00	1750
466577	38	11 - 19	1.00 - 3.00	1500
1339576	40	11 - 19	1.00 - 3.00	1500
460789	42	13 - 20	0.80 - 2.50	1250
466579	45	11 - 19	1.00 - 3.00	1000
466580	50	13 - 20	1.00 - 2.50	800
466581	55	11 - 19	1.00 - 3.00	700
466582	60	11 - 16	1.50 - 3.00	500

BI & LBI Series
Round Domed Tube Glides

- Specifications:
- Material: See Table
 - Color: Black

- Features:
- Provides a neat finish for steel tubing



Item No.	Material	Tube OD		Tube Gauge	Wall Thickness	Bulk Pack Qty
		In	mm		In	
BI1000A	ABS	0.625	15.88	18	0.049	10000
BI1000A	ABS	0.750	19.05	15	0.072	3000
LBI1130A	LDPE	0.750	19.05	16	0.065	5500
LBI1132A	LDPE	0.750	19.05	16	0.065	5500
BI1110A	ABS	0.875	22.23	14	0.083	3500
LBI1140A	LDPE	0.875	22.23	14	0.083	3500
BI1120A	ABS	0.875	22.23	16	0.065	3500
BI1130A	ABS	0.875	22.23	20	0.035	4000
BI1140A	ABS	1.000	25.40	14	0.083	2700
BI1150A	ABS	1.000	25.40	16	0.065	2500
LBI1180A	LDPE	1.000	25.40	16	0.065	3000
BI1160A	ABS	1.000	25.40	18	0.049	2500

Item No.	Material	Tube OD		Tube Gauge	Wall Thickness	Bulk Pack Qty
		In	mm		In	
LBI1190A	LDPE	1.000	25.40	18	0.049	3100
BI1170A	ABS	1.000	25.40	20	0.035	2600
BI1180A	ABS	1.125	28.58	12	0.109	2000
BI1200A	ABS	1.125	28.58	16	0.065	2500
BI1210A	ABS	1.125	28.58	18	0.049	1600
BI1220A	ABS	1.228	31.19	14	0.083	1600
BI1230A	ABS	1.250	31.75	16	0.065	1500
BI1240A	ABS	1.375	34.93	14	0.083	1200
BI1250A	ABS	1.500	38.10	11	0.120	1000
BI1260A*	ABS	1.500	38.10	14	0.083	1000
BI1270A	ABS	1.500	38.10	16	0.065	1000

* This part has a textured (not polished) finish

ROUND TUBE INSERT GLIDES

DFRD Series
Round Domed Tube Inserts



Specifications:

- Material: Low-Density Polyethylene
- Color: Black


Features:

- Can accommodate any degree of leg angle, while the horizontal ribbed design has built-in flexibility to fit multiple tube gauge sizes



Item No.	Tube OD		Tube Gauge	Wall Thickness In	Bulk Pack Qty
	in	mm			
DFRD111522A	0.875	22.22	14 - 20	0.035 - 0.083	2000
DFRD121620A	1.250	31.75	14 - 18	0.049 - 0.083	2000

Round Metric Domed Multi-Wall
Ribbed Tube Inserts



Specifications:


- Material: LDPE
- Color: Black

Features:

- Ideal for aesthetic or light-duty load bearing applications
- Perimeter rib design allows for easy assembly and secure fit
- Used on a wide range of furniture and metal tubing applications

Item No.	Tube OD (D)	Wall Thickness (T1)	Height (h)	Bulk Pack Qty
	mm	mm	mm	
20594664	16	1.0 - 2.0	12.0	8000
20594671	18	1.0 - 2.0	12.0	5500
20594688	20	1.0 - 2.0	15.5	4000
20594695	22	1.0 - 1.5	15.5	3000
20594701	25	1.0 - 2.0	15.5	2250
20594718	32	1.0 - 2.0	19.5	1000

RDP Series
Round Ribbed Tube Inserts
Chrome Finish



Specifications:

- Material: Low-Density Polyethylene
- Color: Black with High-Polished Metal-Finish Shell

Features:

- Polished metallic finish provides enhanced aesthetic appearance
- Horizontal ribbing allows for built-in flexibility to fit multiple tube gauges



Item No.	D		h		h1		Wall Thickness - Tube Gauge		Bulk Pack Qty
	in	mm	in	mm	in	mm	in	mm	
RDP465335A	0.512	13.00	0.315	8.00	0.079	2.00	14-19 (.040-.080)	1.0-2.0	1000
RDP463586A	0.630	16.00	0.394	10.00	0.079	2.00	14-19 (.040-.080)	1.0-2.0	2000
RDP465333A	0.709	18.00	0.394	10.00	0.079	2.00	14-19 (.040-.080)	1.0-2.0	2000
RDP465336A	0.750	19.05	0.394	10.00	0.079	2.00	14-19 (.040-.080)	1.0-2.0	1000
RDP465338A	0.787	20.00	0.394	10.00	0.118	3.00	14-19 (.040-.080)	1.0-2.0	3000
RDP465334A	0.866	22.00	0.433	11.00	0.118	3.00	14-19 (.040-.080)	1.0-2.0	3000
RDP462994A	0.984	25.00	0.591	15.00	0.118	3.00	14-19 (.040-.080)	1.0-2.0	2000
RDP463587A	1.102	28.00	0.591	15.00	0.118	3.00	14-19 (.040-.080)	1.0-2.0	500
RDP463020A	1.181	30.00	0.630	16.00	0.118	3.00	14-19 (.040-.080)	1.0-2.0	500
RDP463588A	1.260	32.00	0.630	16.00	0.118	3.00	14-19 (.040-.080)	1.0-2.0	250
RDP463021A	1.378	35.00	0.630	16.00	0.118	3.00	14-19 (.040-.080)	1.0-2.0	500
RDP465337A	1.496	38.00	0.630	16.00	0.118	3.00	14-19 (.040-.080)	1.0-2.0	250
RDP463022A	1.575	40.00	0.630	16.00	0.118	3.00	14-19 (.040-.080)	1.0-2.0	250
RDP465339A	1.772	45.00	0.630	16.00	0.118	3.00	14-19 (.040-.080)	1.0-2.0	250
RDP463023A	1.969	50.00	0.472	12.00	0.118	3.00	16-17 (.065 - 0.058)	1.50	200
RDP465332A	2.362	60.00	0.472	12.00	0.118	3.00	16-17 (.065 - 0.058)	1.50	200

ROUND THREADED INSERT GLIDES

TAR Series
Round Threaded All Metal Inserts

Specifications:

- Material: Steel with Zinc plated finish

Features:

- Metal ribs lock onto inside of round tube



Imperial

Item No.	Tube OD		Thread Size	Tube Gauge	Bulk Pack Qty
	in				
TAR010A	5/8		1/4 - 20	16 - 18	1000
TAR020A	3/4		1/4 - 20	16 - 18	1000
TAR030A	7/8		1/4 - 20	16 - 18	1000
TAR230A	7/8		5/16 - 18	16 - 18	1000
TAR040A	1		1/4 - 20	16 - 18	1000
TAR240A	1		5/16 - 18	16 - 18	1000
TAR260A	1-1/4		5/16 - 18	16 - 18	500
TAR460A	1-1/4		3/8 - 16	16 - 18	500
TAR270A	1-1/2		5/16 - 18	16 - 18	500
TAR470A	1-1/2		3/8 - 16	16 - 18	500

Metric

Item No.	Tube OD		Thread Size	Tube Gauge		Bulk Pack Qty
	mm			mm		
499455	19		M6	1		200
499456	22		M6	1		200
499457	25		M6	1		200
551836	51		M6	1.2		200
499458	25		M8	1.2		200
499460	32		M8	1.2		200
499461	38		M8	1.2		200
551837	51		M8	1.2		200
551838	25		M10	1.2		200
499463	32		M10	1.5		200
499464	38		M10	1.5		200
551839	51		M10	1.5		200

LRT & RTI Series
Round Plastic Threaded Inserts

Specifications:

- Material: See Table
- Color: See Table

Features:

- Accommodates adjustable leveling mounts and feet



Item No.	Color	Material	Tube OD		Tube Gauge	Thread Size	Bulk Pack Qty
			in				
LRT1100A	Natural	HDPE	0.625		18	1/4 - 20	4200
LRT1100B	Black	HDPE	0.625		18	1/4 - 20	4200
RTI1100A	Natural	Nylon	0.750		17	1/4 - 20	4000
RTI1100B	Black	Nylon	0.750		17	1/4 - 20	4000
LRT1110A	Natural	HDPE	0.750		18	1/4 - 20	4000
LRT1120A	Natural	HDPE	0.875		18	1/4 - 20	3800
LRT1130A	Natural	HDPE	1.000		16	1/4 - 20	3500
RTI1210A	Natural	Nylon	1.000		16	1/4 - 20	2000
LRT1140A	Natural	HDPE	1.000		18	1/4 - 20	3000



STOCK2SHIP
By Essentra

With over 15,000 of Essentra’s most popular products readily available for shipping in our STOCK2SHIP Program, we ensure that you’ll have what you need when you need it.

ROUND THREADED INSERT GLIDES

RDH Series
Round Heavy Duty Threaded Inserts

- Specifications:
- Material: Glass-Filled Nylon with Brass Threaded Insert
 - Color: Black
- Features:
- Threaded brass insert for indoor and outdoor use
 - High load rating is ideal for machinery use

Imperial

Item No.	Tube Size in	Thread Size	Tube Gauge	Wall Thickness in	Max Static Load N	Bulk Pack Qty
RDH0100A	1.500	3/8 - 16	16	0.065	1100	48
RDH0150A	1.500	1/2 - 13	16	0.065	1100	48
RDH0200A	1.500	5/8 - 11	16	0.065	1100	48
RDH0250A	1.500	3/4 - 10	16	0.065	1100	48
RDH0300A	2.000	3/8 - 16	16	0.065	1250	24
RDH0350A	2.000	1/2 - 13	16	0.065	1250	24
RDH0400A	2.000	5/8 - 11	16	0.065	1250	24
RDH0450A	2.000	3/4 - 10	16	0.065	2000	24
RDH0500A	2.000	3/8 - 16	12	0.109	1250	24
RDH0550A	2.000	1/2 - 13	12	0.109	1250	24
RDH0600A	2.000	5/8 - 11	12	0.109	1250	24
RDH0650A	2.000	3/4 - 10	12	0.109	2000	24

RDM Series
Round Metal Threaded Inserts

- Specifications:
- Material: High-Density Polyethylene with Zinc-Plated Steel-Threaded Insert
 - Color: Black
- Features:
- Tube inserts with internal threads to accommodate adjustable leveling mounts and feet
 - Ribbed to accommodate multiple gauges


Imperial

Item No.	Tube Size	Thread Size	Gauge	Wall Thickness in	Bulk Pack Qty
RDM0100A	0.750	1/4 - 20	16 - 18	0.049 - 0.065	1000
RDM0150A	0.875	1/4 - 20	16 - 18	0.049 - 0.065	1000
RDM0200A	0.875	1/4 - 20	12 - 14	0.083 - 0.109	1000
RDM0250A	0.875	1/4 - 20	10 - 11	0.120 - 0.134	1000
RDM0300A	1.000	1/4 - 20	16 - 18	0.049 - 0.065	1000
RDM0350A	1.000	5/16 - 18	16 - 18	0.049 - 0.065	1000
RDM0400A	1.000	1/4 - 20	12 - 14	0.083 - 0.109	750
RDM0450A	1.000	5/16 - 18	12 - 14	0.083 - 0.109	750
RDM0500A	1.000	1/4 - 20	10 - 11	0.120 - 0.134	750
RDM0550A	1.000	5/16 - 20	10 - 11	0.120 - 0.134	750
RDM0600A	1.125	5/16 - 18	16 - 18	0.049 - 0.065	500
RDM0650A	1.125	3/8 - 16	16 - 18	0.049 - 0.065	500
RDM0700A	1.250	5/16 - 18	16 - 18	0.049 - 0.065	500
RDM0750A	1.250	3/8 - 16	16 - 18	0.049 - 0.065	500
RDM0800A	1.250	5/16 - 18	12 - 14	0.083 - 0.109	500
RDM0950A	1.375	3/8 - 16	16 - 18	0.049 - 0.065	500
RDM1050A	1.500	5/16 - 18	16 - 18	0.049 - 0.065	500
RDM1100A	1.500	3/8 - 16	16 - 18	0.049 - 0.065	500
RDM1150A	1.500	5/16 - 18	12 - 14	0.083 - 0.109	500
RDM1200A	1.500	3/8 - 16	12 - 14	0.083 - 0.109	500
RDM2000A	2.000	5/16 - 18	14 - 16	0.065 - 0.083	500
RDM2050A	2.000	3/8 - 16	14 - 16	0.065 - 0.083	500



Metric

Item No.	Tube Size mm	Thread Size mm	Tube Gauge	Max Static Load N	Bulk Pack Qty
1286377	30	M10	1	4500	48
1286378	30	M12	1	4500	48
1286379	30	M16	1	4500	48
1286380	38	M10	1.5	5000	48
1286381	38	M12	1.5	5000	48
1286382	38	M16	1.5	5000	48
1286383	42	M10	1.5	5000	48
1286384	42	M12	1.5	5000	48
1286385	42	M16	1.5	5000	48
1286386	42	M20	1.5	5000	48
1286387	48	M10	1.5	5500	24
1286388	48	M12	1.5	5500	24
1286389	48	M16	1.5	5500	24
1286390	48	M20	1.5	8500	24
1286391	50	M12	1.5	5500	24
1286392	50	M16	1.5	5500	24
1286393	50	M20	1.5	8500	24



Metric

Item No.	Tube Size mm	Thread Size mm	Gauge	Wall Thickness mm	Bulk Pack Qty
498560	19	M6	17 - 19	1.1 - 1.5	1000
498561	20	M6	17 - 19	1.1 - 1.5	1000
498562	20	M8	17 - 19	1.1 - 1.5	1000
498563	25	M6	17 - 19	1.1 - 1.5	500
498564	25	M8	17 - 19	1.1 - 1.5	1000
498565	30	M8	17 - 19	1.1 - 1.5	500
498566	30	M10	17 - 19	1.1 - 1.5	500
498567	32	M8	17 - 19	1.1 - 1.5	500
498568	32	M10	17 - 19	1.1 - 1.5	1000
498569	35	M8	17 - 19	1.1 - 1.5	500
498570	35	M10	17 - 19	1.1 - 1.5	250
498571	38	M8	17 - 19	1.1 - 1.5	250
498572	38	M10	17 - 19	1.1 - 1.5	500
498573	38	M12	17 - 19	1.1 - 1.5	500
498574	40	M8	17 - 19	1.1 - 1.5	250
498575	40	M10	17 - 19	1.1 - 1.5	250
498576	40	M12	17 - 19	1.1 - 1.5	500
498577	50	M8	17 - 19	1.1 - 1.5	100
498578	50	M10	17 - 19	1.1 - 1.5	500
498579	50	M12	17 - 19	1.1 - 1.5	100
498580	60	M8	17 - 19	1.1 - 1.5	250
498581	60	M10	17 - 19	1.1 - 1.5	100
498582	60	M12	17 - 19	1.1 - 1.5	100

ROUND INSERT GLIDES / ROUND FERRULE CAPS

RAG Series
Round Angled Tube Inserts

Specifications:

- Material: Nylon
- Color: See Table

Features:

- Ideal for applications with fixed leg angles
- Round angle insert glides fit flush with tubing outer dimensions for a clean, finished look
- Ideal for load bearing applications



Item No.		Tube OD		Wall Thickness		
Black	Natural	in	Tube Gauge	in	Degree	Bulk Pack Qty
RAG1220A	RAG1220B	0.750	16	0.065	25.5°	2500
RAG1240A	RAG1240B	0.875	16	0.065	19°	3500
RAG1260A	RAG1260B	0.875	17	0.058	19°	3500
RAG1270A	RAG1270B	1.000	16	0.065	12°	3200
—	RAG1280B	1.000	16	0.065	19°	3000
RAG1310A	RAG1310B	1.000	18	0.049	12°	3000
—	RAG1320B	1.000	18	0.049	19°	3000
RAG1325A	RAG1325B	1.125	16	0.065	15°	2000
RAG1340A	RAG1340B	1.250	16	0.065	15°	1800
RAG1350A	RAG1350B	1.250	17	0.058	7°	900
RAG1360A	RAG1360B	1.250	18	0.049	15°	1200
RAG1375A	RAG1375B	1.500	16	0.065	19°	900

HLD Series
High Line Domed Ferrule Caps

Specifications:

- Material: Elastomeric Polyethylene
- Color: See Table

Features:

- High-line domed caps are tall and durable
- Ideal for non-skid applications
- Thinner wall section results in ease of installation



Item No.		Tube OD		Bulk Pack Qty
Black	White	in	mm	
HLD0750A	HLD0750C	0.750	19.05	1100
HLD0875A	HLD0875C	0.875	22.22	1100
HLD1000A	HLD1000C	1.000	25.40	2000

HDC Series
Heavy Duty Ferrule Caps

Specifications:

- Material: Low-Density Polyethylene
- Color: Black

Features:

- Style A – Low-silhouette cap for general applications (1/2" height)
- Style B – High-line cap for heavy-duty applications (1" height)
- Style C – Heavy-duty caps, designed for institutional applications, incorporate a thick internal ledge to resist cut-thru by sharp tubing ends (1" height)




Item No.	Tube OD		Style	Bulk Pack Qty
	in	mm		
HDC0375A	0.375	9.53	B	10000
HDC0750A	0.750	19.05	A	6500
HDC0875A	0.875	22.23	B	3000
HDC1125A	1.125	28.58	C	650
HDC1250A	1.250	31.75	A	1800
HDC1500A	1.500	38.10	A	1300

ROUND TUBE CAPS / OVAL TUBE INSERT GLIDES

FRD Series Round Ferrule Caps

Item No.	Tube OD (d)	Bulk Pack Qty
	in	
FRD0437A	0.437	10000
FRD0500A	0.500	10000
FRD0625A	0.625	5000
FRD0750A	0.750	4000
FRD0875A	0.875	2500
FRD1000A	1.000	1500
FRD1125A	1.125	1000
FRD1250A	1.250	1000
FRD1500A	1.500	500
FRD1750A	1.750	500
FRD2000A	2.000	300
FRD3000A	3.000	150




Specifications:

- Material: Low-Density Polyethylene
- Color: Black

Features:

- Provides a neat finish to products manufactured from tubular steel



RSC/LLD Series Round End Caps

Specifications:

- Material: Low-Density Polyethylene (RSC)
- Elastomeric Polyethylene (LLD)
- Color: Black

Features:

- An integrated step lead permits fast positioning and quick assembly for an economical and attractive way of finishing the end of a rod or tube
- The LLD caps have a thick rounded base for long wear and use on a wide range of leg angles



Item No.	Tube OD	Bulk Pack Qty
	in	
RSC0750A	0.750	3000
RSC0875A	0.875	3000
RSC1000A	1.000	2500
LLD1000A	1.000	1500
RSC1125A	1.125	1600
RSC1250A	1.250	1800


FTP Series Round Tapered Ferrule Caps

Specifications:

- Material: See Table
- Color: Black

Features:

- Tapered ferrules are often used as a safety cap on protruding steel rods or bars



Item No.	Tube OD (d)	h	D	Material	Bulk Pack Qty
	in	in	in		
FTP0187A	0.187	0.468	0.406	PVC	10000
FTP0250A	0.250	0.468	0.406	PVC	10000
FTP0312A	0.312	0.562	0.500	PVC	10000
FTP0312LPA	0.312	0.906	0.516	LDPE	5000
FTP0375A	0.375	0.625	0.594	PVC	5000
FTP0500LPA	0.500	0.906	0.735	LDPE	4000


DM Series Round Vinyl End Caps

Specifications:

- Material: PVC
- Color: White

Features:

- Designed to fit standard tube dimensions
- Glossy Finish




Item No.	Tube OD	B	Bulk Pack Qty
	in	in	
DM0750-1H	3/4	1	2500
DM0875-1G	7/8	1	2500
DM1000-1C	1	1	2000

RECTANGLE TUBE INSERT GLIDES

RCR Series
Rectangular Ribbed Tube Inserts

- Specifications:
- Material: Low-Density Polyethylene
 - Surface Finish: See Table
 - Color: See Table

- Features:
- Perimeter rib design allows for easy assembly and secure fit
 - Tube inserts fit a wider gauge range



Imperial

Item No.	Color	Surface Finish	Tube Size	Tube Gauge	Bulk Pack Qty
			in		
RCR111339A	Black	Polished	1.000 x 0.500	16 - 20	1000
RCR111356A	Black	Textured	1.000 x 0.500	16 - 20	1000
RCR111508A	Black	Polished	1.375 x 0.625	11 - 19	2500
RCR111546A	Black	Textured	1.375 x 0.625	11 - 19	2500
RCR111622A	White	Textured	1.375 x 0.625	11 - 19	2500
RCR111343A	Black	Polished	1.500 x 0.750	11 - 19	1000
RCR111360A	Black	Textured	1.500 x 0.750	11 - 19	1000
RCR111377A	White	Polished	1.500 x 0.750	11 - 19	1000
RCR111510A	Black	Polished	1.500 x 1.000	11 - 19	2000
RCR111548A	Black	Textured	1.500 x 1.000	11 - 19	2000
RCR111624A	White	Textured	1.500 x 1.000	11 - 19	2000
RCR111348A	Black	Polished	2.000 x 1.000	11 - 19	1000
RCR111365A	Black	Textured	2.000 x 1.000	11 - 19	1000
RCR111382A	White	Polished	2.000 x 1.000	11 - 19	1000
RCR111512A	Black	Polished	2.000 x 1.250	11 - 19	1000
RCR111550A	Black	Textured	2.000 x 1.250	11 - 19	1000
RCR111626A	White	Textured	2.000 x 1.250	11 - 19	1000
RCR25101618A	Black	Polished	2.500 x 1.000	16 - 18	1000
RCR20101216A	Black	Textured	2.000 x 1.250	12 - 16	1000
RCR25151216A	Black	Polished	2.500 x 1.500	12 - 16	500
RCR111514A	Black	Polished	3.000 x 1.500	8 - 14	250
RCR111552A	Black	Textured	3.000 x 1.500	8 - 14	250
RCR111628A	White	Textured	3.000 x 1.500	8 - 14	250
RCR111516A	Black	Polished	3.000 x 2.000	8 - 14	250
RCR4030A	Black	Textured	3.000 x 4.000	10-14	200
RCR111554A	Black	Polished	3.000 x 2.000	8 - 14	250
RCR50201014A	Black	Textured	5.000 x 2.000	10 - 14	1000

Metric

Item No.	Color	Finish	Tube Size	Tube Gauge	Bulk Pack Qty
			mm		
RCR111338A	Black	Polished	25 x 10	16 - 20	2000
RCR111355A	Black	Textured	25 x 10	16 - 20	2000
RCR199254A	Black	Polished	30 x 10	17 - 20	5000
RCR111340A	Black	Polished	30 x 15	11 - 19	1000
RCR111357A	Black	Textured	30 x 15	11 - 19	1000
RCR111341A	Black	Polished	30 x 20	11 - 19	1000
RCR111358A	Black	Textured	30 x 20	11 - 19	1000
RCR111509A	Black	Polished	35 x 20	11 - 19	2000
RCR111547A	Black	Textured	35 x 20	11 - 19	2000
RCR466544A	Black	Textured	40 x 15	14 - 17	1000
RCR111344A	Black	Polished	40 x 20	11 - 19	1000
RCR111361A	Black	Textured	40 x 20	11 - 19	1000
RCR111511A	Black	Polished	40 x 25	8 - 14	1500
RCR111549A	Black	Textured	40 x 25	8 - 14	1500
RCR111481A	Black	Polished	60 x 30	11 - 19	500
RCR111482A	Black	Textured	60 x 30	11 - 19	500
RCR111802A	Black	Polished	60 x 40	11 - 19	500
RCR111803A	Black	Textured	60 x 40	11 - 19	500
RCR111351A	Black	Polished	60 x 40	8 - 14	500
RCR111368A	Black	Textured	60 x 40	8 - 14	500
498707	Black	Textured	70 x 25	14 - 19	500
RCR199283A	Black	Textured	75 x 25	14 - 16	500
RCR111515A	Black	Polished	75 x 50	8 - 14	250
RCR111553A	Black	Textured	75 x 50	8 - 14	250
RCR111474A	Black	Textured	80 x 40	11 - 19	250
RCR111353A	Black	Polished	80 x 50	8 - 14	250
RCR111370A	Black	Textured	80 x 50	8 - 14	250
RCR460736A	Black	Textured	90 x 40	8 - 14	300
RCR199231A	Black	Textured	100 x 40	8 - 14	250
RCRM10502040A	Black	Textured	100 x 50	10 - 14	200
RCR460743A	Black	Textured	120 x 30	13 - 19	300
RCR460749A	Black	Textured	150 x 50	8 - 14	100

RTG Series
Rectangular Load Bearing Glides

- Specifications:
- Material: ABS
 - Color: Black

- Features:
- Suitable for heavy-duty applications
 - Step lead provides for easy installation
 - Press fit assures a secure hold in tubing




Item No.	Tube Size	Tube Gauge	Wall Thickness	Bulk Pack Qty
	in		in	
RTG1100A	0.500 x 1.000	16	0.065	6000
RTG1110A	0.500 x 1.000	18	0.049	3800
RTG1120A	0.500 x 1.250	16	0.065	5000
RTG1150A	0.500 x 1.500	16	0.065	4000
RTG1160A	0.500 x 1.500	18	0.049	4000
RTG1190A	0.750 x 1.250	18	0.049	2800
RTG1210A	0.750 x 1.500	14	0.083	2500
RTG1220A	0.750 x 1.500	16	0.065	2200
RTG1230A	0.750 x 1.500	18	0.049	2200
RTG1240A	0.750 x 2.000	16	0.065	2000
RTG1250A	1.000 x 1.500	11	0.120	2000
RTG1270A	1.000 x 1.500	14	0.083	2000
RTG1280A	1.000 x 1.500	16	0.065	1800
RTG1290A	1.000 x 1.500	18	0.049	2100
RTG1310A	1.000 x 2.000	11	0.120	1400
RTG1340A	1.000 x 2.000	14	0.083	1400
RTG1350A	1.000 x 2.000	16	0.065	1200
RTG1359B	1.000 X 2.000	17	0.058	1400
RTG1370A	1.000 x 2.000	18	0.049	1400
RTG1390A	1.000 x 3.000	11	0.120	1300
RTG1400A	1.000 x 3.000	14	0.083	1300

Item No.	Tube Size	Tube Gauge	Wall Thickness	Bulk Pack Qty
	in		in	
RTG1410A	1.000 x 3.000	16	0.065	1300
RTG1420A	1.250 x 2.000	12	0.109	1200
RTG1430A	1.250 x 2.000	14	0.083	800
RTG1440A	1.250 x 2.000	16	0.065	800
RTG1450A	1.500 x 2.000	11	0.120	900
RTG1460A	1.500 x 2.000	14	0.083	900
RTG1470A	1.500 x 2.000	15	0.072	900
RTG1480A	1.500 x 2.000	16	0.065	900
RTG1490A	1.500 x 2.500	11	0.120	500
RTG1500A	1.500 x 2.500	12	0.109	600
RTG1510A	1.500 x 2.500	16	0.065	900
RTG1521A	1.500 x 3.000	11	0.120	900
RTG1530A	1.500 x 3.000	14	0.083	1000
RTG1540A	1.500 x 3.000	16	0.065	500
RTG1550A	1.500 x 4.000	16	0.065	500
RTG1560A	2.000 x 2.000	11	0.120	700
RTG1570A	2.000 x 3.000	14	0.083	700
RTG1580B	2.000 x 4.000	11	0.120	350
RTG1590B	2.000 x 4.000	13	0.095	350
RTG1600B	2.000 x 4.000	16	0.065	350

RECTANGLE TUBE INSERT GLIDES

Rectangular Metric Multi-Wall Ribbed Tube Inserts



Specifications:

- Material: LDPE
- Color: Black
- Surface Finish: Textured

Features:

- Ideal for aesthetic or light-duty load bearing applications
- Press fit assures a secure hold in the tubing

Item No.	Tube OD (AxB)	Wall Thickness (T1)	Height (h)	Bulk Pack Qty
	mm	mm	mm	
20590703	20 x 10	0.8 - 2.0	11.0	10000
20590710	20 x 15	1.0 - 2.0	11.5	5000
20590727	25 x 15	1.0 - 2.5	11.5	4000
20590734	25 x 20	1.0 - 3.0	11.5	3000
20590741	30 x 10	1.0 - 2.0	11.5	7000
20590758	30 x 15	1.0 - 2.5	11.5	3000
20590765	30 x 20	1.0 - 3.0	11.5	2500
20590789	35 x 20	1.0 - 2.5	11.5	2500
20590796	35 x 25	1.0 - 3.0	11.5	1750
20590802	40 x 10	1.5 - 2.5	10.5	3000
20590819	40 x 15	1.0 - 2.5	12.0	2500
20590826	40 x 20	1.0 - 3.0	12.0	2000
20590833	40 x 25	1.0 - 3.0	11.5	1500
20590840	40 x 30	1.0 - 3.0	12.0	1000
20590857	45 x 20	1.0 - 3.0	11.5	1750
20590871	45 x 30	1.0 - 2.5	12.0	1250
20590888	50 x 10	1.0 - 2.0	12.0	3500
20590895	50 x 20	1.0 - 3.0	14.0	1000
20590901	50 x 25	1.0 - 3.0	14.5	1000
20590918	50 x 30	1.0 - 3.0	13.5	1000
20590925	50 x 40	1.5 - 3.0	12.5	600
20590932	60 x 15	1.0 - 2.0	14.5	1500
20590949	60 x 20	1.0 - 3.0	14.5	1000
20590956	60 x 25	1.0 - 3.0	14.0	750
20590963	60 x 30	1.0 - 3.0	15.0	700
20590970	60 x 30	2.5 - 4.0	14.4	750
20590987	60 x 33	1.5 - 3.5	14.5	700
20590994	60 x 35	1.5 - 3.5	15.0	500
20591007	60 x 40	1.0 - 3.0	14.0	500
20591014	70 x 20	1.0 - 3.5	19.0	500
20591021	70 x 25	1.5 - 2.5	18.0	500
20591038	70 x 30	1.0 - 3.0	18.0	550
20591045	70 x 40	1.5 - 3.0	18.0	400
20591069	80 x 20	1.0 - 3.0	18.0	500
20591076	80 x 30	1.0 - 2.5	14.5	500
20591083	80 x 40	1.0 - 3.0	14.5	250
20591090	80 x 40	3.0 - 5.0	24.5	350
20591106	80 x 50	1.5 - 4.0	18.0	250
20591113	80 x 60	1.5 - 3.5	24.5	150
20591120	80 x 60	3.5 - 5.5	24.5	150
20591137	85 x 25	3.5 - 5.5	18.0	500
20591144	90 x 20	1.0 - 2.5	14.5	600
20591151	90 x 40	2.0 - 4.0	15.0	300
20591168	90 x 45	2.0 - 4.0	15.0	250
20591175	90 x 50	2.0 - 4.5	22.0	200
20591182	90 x 70	3.0 - 5.5	22.0	125
20591199	100 x 20	1.5 - 3.0	15.0	500
20591205	100 x 25	1.5 - 3.0	15.0	450
20591212	100 x 30	1.5 - 3.5	15.0	350
20591229	100 x 40	1.5 - 4.0	14.5	250
20591236	100 x 50	1.5 - 4.5	24.0	150
20591243	100 x 60	1.5 - 4.5	24.0	125
20591250	100 x 80	3.0 - 5.5	19.0	100
20591267	120 x 20	1.0 - 3.0	21.5	450
20591274	120 x 30	1.5 - 2.0	14.5	300
20591281	120 x 40	3.0 - 5.0	21.5	200
20591298	120 x 50	3.0 - 5.5	21.5	150
20591304	120 x 60	1.5 - 5.0	24.5	100
20591311	120 x 80	2.0 - 5.5	24.0	90
20591328	120 x 80	5.0 - 8.0	25.0	100
20591335	120 x 100	3.5 - 6.0	24.0	60
20591342	140 x 80	2.0 - 4.5	24.5	70
20591359	150 x 30	1.5 - 3.0	21.5	175
20591366	150 x 40	2.0 - 4.5	21.5	100
20591373	150 x 50	2.0 - 4.0	28.0	100
20591380	150 x 50	4.0 - 6.0	28.0	100
20591397	150 x 100	1.5 - 5.0	27.0	70
20591403	160 x 80	3.5 - 5.0	24.5	50

THREADED INSERTS

RCM Series
 Rectangular Metal Threaded Inserts

Specifications:

- Material: High-Density Polyethylene with Zinc-Plated Steel-Threaded Insert
- Color: Black

Features:

- Tube inserts with internal threads to accommodate adjustable leveling mounts and feet
- Ribbed to accommodate multiple gauges



Imperial

Item No.	Tube Size in	Thread Size in	Tube Gauge in	Wall Thickness in	Bulk Pack Qty
RCM0150A	0.75 x 1.50	1/4 - 20	16 - 18	0.049 - 0.065	500
RCM0250A	1.00 x 1.50	1/4 - 20	16 - 18	0.049 - 0.065	500
RCM0300A	1.00 x 1.50	5/16 - 18	16 - 18	0.049 - 0.065	500
RCM0350A	2.00 x 1.00	5/16 - 18	16 - 18	0.049 - 0.065	250
RCM0400A	2.00 x 1.00	5/16 - 18	14 - 16	0.065 - 0.083	250
RCM0600A	3.00 x 1.50	3/8 - 16	14 - 16	0.065 - 0.083	250

Metric

Item No.	Tube Size mm	Thread Size mm	Tube Gauge mm	Wall Thickness mm	Bulk Pack Qty
498598	30 x 20	M8	17 - 19	1.1 - 1.5	500
498599	30 x 20	M10	17 - 19	1.1 - 1.5	1000
498600	40 x 20	M8	17 - 19	1.1 - 1.5	250
498601	40 x 20	M10	17 - 19	1.1 - 1.5	500
498602	40 x 30	M8	17 - 19	1.1 - 1.5	500
498603	40 x 30	M10	17 - 19	1.1 - 1.5	500
498604	50 x 25	M8	17 - 19	1.1 - 1.5	250
498605	50 x 25	M10	17 - 19	1.1 - 1.5	500
498606	50 x 30	M8	17 - 19	1.1 - 1.5	200
498607	50 x 30	M10	17 - 19	1.1 - 1.5	500
498608	60 x 30	M8	17 - 19	1.1 - 1.5	250
498609	60 x 30	M10	17 - 19	1.1 - 1.5	250



SAI Series
 Square Ribbed Inserts with Adjustable Feet

Specifications:

- Material: Nylon
- Color: Black

Features:

- Rugged, durable, heavy duty
- Resists lateral stresses
- Threaded insert and height adjuster in one piece



Item No.	Square Tube Size		Fits		Reference Dimensions				Axial Load	Bulk Pack Qty
	in	mm	Tube Gauge	mm	A	B	C	D	lbs	
SAI200A	0.875	22.00	14 - 18	1.5 - 2.0	0.158	0.866	0.197	0.945	220	200


RAI Series
 Round Ribbed Inserts with Adjustable Feet

Specifications:

- Material: Nylon
- Color: Black

Features:

- Rugged, durable, heavy duty
- Resists lateral stresses
- Threaded insert and height adjuster in one piece



Item No.	Tube Size		Fits		Reference Dimensions				Axial Load	Bulk Pack Qty
	in	mm	Tube Gauge	mm	A Ref	B Ref	C Ref	D Ref	lbs	
RAI100A	1.250	32	14 - 18	1.5-2.0	0.197	0.985	0.197	0.787	660	800
RAI500A	2.000	50	14 - 18	1.5-2.0	0.197	1.358	0.197	1.181	660	100
RAI600A	2.375	60	14 - 18	1.5-2.0	0.394	1.595	0.236	1.457	660	100


Metric Oval Insert Glides

Specifications:

- Material: LDPE
- Color: Black
- Surface Finish: Textured

Features:

- Perimeter rib design allows for easy assembly and secure fit into an oval shaped tube
- The rib design allows the insert to fit and function within multiple tube gauges for 3 of the 4 sizes



Item No.	Tube Size mm	Tube Gauge	Tube Thickness mm	H mm	h mm	Bulk Pack Qty
20592554	20 x 10	14.5	2.0	10.0	5.0	8900
20592561	30 x 15	13-19	1.0 - 2.5	12.0	5.0	4000
20592578	40 x 20	11-19	1.0 - 3.0	12.0	5.0	2250
20592585	50 x 25	11-19	1.0 - 3.0	12.0	5.0	2250

TACK, SCREW-IN & ADHESIVE GLIDES



TKG Series
Tack Glides

Specifications:

- Material: High-Density Polyethylene with Nickel Plated Nail
- Color: See Table

Features:

- Ideal for wooden furniture



Item No.		D		H		L		Bulk Pack Qty
Natural	Brown	in	mm	in	mm	in	mm	
TKG1010A	TKG1010B	0.625	15.88	0.250	6.35	0.719	18.26	6000
TKG1020A	TKG1020B	0.750	19.05	0.250	6.35	0.719	18.26	4500
TKG1030A	TKG1030B	0.875	22.23	0.250	6.35	0.719	18.26	4000
TKG1040A	TKG1040B	1.000	25.40	0.250	6.35	0.719	18.26	3000

TKT Series
PTFE Based Glide




Specifications:

- Material: PTFE
- Color: Natural

Features:

- Ideal when easy movement is essential



Item No.	D	H	L	C	Bulk Pack Qty
499499	0.750	0.393	0.709	0.102	200
499500	0.870	0.393	0.709	0.102	200
499501	0.980	0.393	0.709	0.102	200
499502	1.180	0.393	0.709	0.102	200
499503	1.460	0.393	0.709	0.102	200

Screw-In Glides




Specifications:

- Material:
Glide: PTFE
Material: Washer: Steel
- Color: Natural

Features:

- Includes metal screw
- Easy assembly



Item No.	D	H	Bulk Pack Qty
	in	in	
499482	0.750	0.219	1000
499483	0.875	0.219	200
499484	1.000	0.203	200
499485	1.188	0.203	200
499486	1.500	0.220	200
499487	2.000	0.219	200

Adhesive Glides

Specifications:

- Material: PTFE with adhesive backing
- Color: Natural


Features:

- Easy to apply
- Smooth glide action
- Protects surfaces




Square

Item No.	L	H	Std Pack Qty
	in	in	
499488	1.000	0.250	200
499490	1.188	0.250	200
499494	1.500	0.281	200
499495	1.750	0.281	200
499496	2.000	0.250	200




Rectangular

Item No.	L	L1	H	Std Pack Qty
	in	in	in	
499489	1.000	1.375	0.267	200
499497	0.750	2.750	0.250	200
499492	1.000	4.000	0.250	200



Round

Item No.	D	H	Std Pack Qty
	in	in	
499475	0.750	0.172	200
499476	0.875	0.250	200
499477	1.000	0.172	200
499478	1.188	0.172	200
499479	1.500	0.250	200
499480	2.000	0.250	200
499481	2.500	0.250	200



PLASTIC BASED LEVELERS

AFP & AFPM Series
Articulating Adjustable Feet




Specifications:

- Material: Polypropylene, Low-Carbon Steel Stud with Zinc-Plated Finish
- Color: Black

Features:

- Allows adjustment under load with base remaining stationary



Imperial

Item No.	D (Base)	Thread Size	Stud Length	Bulk Pack Qty
	in		in	
AFP25100A	0.984	1/4 - 20	0.750	100
AFP25110A	0.984	5/16 - 18	1.000	100
AFP25120A	0.984	5/16 - 18	1.500	100
AFP25130A	0.984	5/16 - 18	2.000	100
AFP25140A	0.984	5/16 - 18	2.750	100
AFP25150A	0.984	5/16 - 18	4.000	100
AFP30100A	1.181	5/16 - 18	1.000	100
AFP30110A	1.181	5/16 - 18	1.500	100
AFP30120A	1.181	5/16 - 18	2.000	100
AFP30130A	1.181	5/16 - 18	2.750	100
AFP30140A	1.181	5/16 - 18	3.000	100
AFP30150A	1.181	5/16 - 18	4.000	100
AFP30160A	1.181	3/8 - 16	1.000	100
AFP30180A	1.181	3/8 - 16	1.500	100
AFP30200A	1.181	3/8 - 16	2.000	100
AFP30210A	1.181	3/8 - 16	2.750	100
AFP30220A	1.181	3/8 - 16	4.000	100
AFP38100A	1.500	5/16 - 18	1.000	100
AFP38120A	1.500	5/16 - 18	1.500	100
AFP38130A	1.500	5/16 - 18	2.000	100
AFP38140A	1.500	5/16 - 18	2.750	100
AFP38150A	1.500	5/16 - 18	3.000	100
AFP38160A	1.500	5/16 - 18	4.000	100
AFP38170A	1.500	3/8 - 16	1.000	100
AFP38180A	1.500	3/8 - 16	1.500	100
AFP38200A	1.500	3/8 - 16	2.000	100
AFP38210A	1.500	3/8 - 16	2.750	100
AFP38220A	1.500	3/8 - 16	3.000	100
AFP38230A	1.500	3/8 - 16	4.000	100
AFP38240A	1.500	1/2 - 13	1.000	100
AFP38250A	1.500	1/2 - 13	1.500	100
AFP38260A	1.500	1/2 - 13	2.000	100
AFP38280A	1.500	1/2 - 13	2.750	100
AFP38290A	1.500	1/2 - 13	4.000	100
AFP48100A	1.890	5/16 - 18	1.000	100
AFP48110A	1.890	5/16 - 18	1.500	100
AFP48130A	1.890	5/16 - 18	2.000	100
AFP48150A	1.890	5/16 - 18	4.000	100
AFP48170A	1.890	3/8 - 16	1.000	100
AFP48180A	1.890	3/8 - 16	1.500	100
AFP48200A	1.890	3/8 - 16	2.000	100
AFP48220A	1.890	3/8 - 16	2.750	100
AFP48240A	1.890	3/8 - 16	4.000	100
AFP48250A	1.890	1/2 - 13	1.000	100
AFP48260A	1.890	1/2 - 13	1.500	100
AFP48270A	1.890	1/2 - 13	2.000	100
AFP48280A	1.890	1/2 - 13	2.750	100
AFP48290A	1.890	1/2 - 13	4.000	100

Metric

Item No.	D (Base)	Thread Size	Stud Length	Bulk Pack Qty
	mm		mm	
466212	25	M6	20	500
466188	38	M10	40	200
466192	38	M12	25	200
466193	38	M12	40	150
466196	38	M12	100	100
466207	48	M12	25	100
466209	48	M12	55	100
466211	48	M12	100	50

PLASTIC BASED LEVELERS


AFM & AFMP Series
Swivel/Tilting Adjustable Machinery Feet

Specifications:

- Material: Nylon Base with Zinc Plated Steel Stud
- Color: Black

Features:

- Ideal for mounting machines or conveyers
- High Load bearing of 2000lbs (900kg) per foot
- Tilting & swiveling design (20° Max)



AFM Series

Item No.					
Plain Base	Bolt-Down Base	Thread	Stud Length In	Base Dia In	Bulk Pack Qty
AFM1100A	—	5/16 - 18	2.5	1.57	40
AFM1200A	—	5/16 - 18	2.5	1.97	40
—	AFM1300B	5/16 - 18	2.5	2.36	40
AFM1400A	—	5/16 - 18	3.5	1.57	40
AFM1500A	—	5/16 - 18	3.5	1.97	40
—	AFM1600B	5/16 - 18	3.5	2.36	40
AFM2050A	—	3/8 - 16	3.0	1.97	40
—	AFM2100B	3/8 - 16	3.0	2.36	40
AFM2150A	—	3/8 - 16	3.0	3.15	40
AFM2200A	—	3/8 - 16	4.0	1.97	40
—	AFM2250B	3/8 - 16	4.0	2.36	40
AFM2300A	—	3/8 - 16	4.0	3.15	40
AFM3100A	—	1/2 - 13	3.0	1.97	24
—	AFM3150B	1/2 - 13	3.0	2.36	24
AFM3200A	AFM3200B	1/2 - 13	3.0	3.15	24
AFM3300A	—	1/2 - 13	4.0	1.97	24
AFM3400A	AFM3400B	1/2 - 13	4.0	3.15	24
—	AFM3450B	1/2 - 13	4.0	3.94	24
AFM3500A	—	1/2 - 13	5.0	2.36	24
AFM3600A	AFM3600B	1/2 - 13	5.0	3.15	24
—	AFM3700B	1/2 - 13	5.0	3.94	24
AFM4100A	—	5/8 - 11	3.0	1.97	20
—	AFM4150B	5/8 - 11	3.0	2.36	20
AFM4200A	—	5/8 - 11	3.0	3.15	20
AFM4250A	—	5/8 - 11	4.0	1.97	20
AFM4300A	AFM4300B	5/8 - 11	4.0	3.15	20
—	AFM4400B	5/8 - 11	4.0	3.94	20
AFM4450A	—	5/8 - 11	6.0	3.15	20
AFM4500A	AFM4500B	5/8 - 11	6.0	3.94	20
AFM4600A	—	5/8 - 11	6.0	4.72	20
AFM4650A	—	5/8 - 11	8.0	3.15	20
AFM4700A	—	5/8 - 11	8.0	3.94	20
AFM4800A	AFM4800B	5/8 - 11	8.0	4.72	20
AFM5400A	—	3/4 - 10	6.0	3.15	20
AFM5450A	—	3/4 - 10	6.0	3.94	20
AFM5500A	AFM5500B	3/4 - 10	6.0	4.72	12
AFM5600A	—	3/4 - 10	8.0	3.15	12
AFM5650A	—	3/4 - 10	8.0	3.94	12
AFM5700A	AFM5700B	3/4 - 10	8.0	4.72	12

AFMP Series - Optional Non-Slip Pad

- Material: Rubber

Item No.			
Plain Base	Bolt-Down Base	Base Dia In	Bulk Pack Qty
AFMP040A	—	1.57	40
AFMP050A	—	1.97	40
AFMP060A	AFMP060B	2.36	24
AFMP080A	AFMP080B	3.15	20
AFMP100A	AFMP100B	3.94	20
AFMP120A	AFMP120B	4.72	12



METRIC SIZES
ALSO AVAILABLE


Shop metric options for leveling feet & glides
at www.essentracomponents.com

PLASTIC BASED LEVELERS

AFS & AFSM Series
Rigid Adjustable Feet

Specifications:

- Material: Polypropylene, Low-Carbon Steel Stud with Zinc-Plated Finish
- Color: Black



Imperial

Item No.	D (Base)		Stud Length		Bulk Pack Qty
	in	Thread Size	in		
AFS48410A	1.890	5/16-18	1.000		100
AFS48420A	1.890	5/16-18	1.500		100
AFS48430A	1.890	5/16-18	2.000		100
AFS48440A	1.890	5/16-18	2.750		100
AFS48450A	1.890	5/16-18	4.000		100
AFS48460A	1.890	3/8-16	1.000		100
AFS48470A	1.890	3/8-16	1.500		100
AFS48480A	1.890	3/8-16	2.000		100
AFS48490A	1.890	3/8-16	2.750		100
AFS48500A	1.890	3/8-16	4.000		100
AFS48510A	1.890	1/2-13	1.000		100
AFS48520A	1.890	1/2-13	1.500		100
AFS48530A	1.890	1/2-13	2.000		100
AFS48540A	1.890	1/2-13	2.750		100
AFS48550A	1.890	1/2-13	4.000		100


Metric

Item No.	D (Base)		Stud Length		Bulk Pack Qty
	mm	Thread Size	mm		
466121	25	M6	20		500
466122	25	M8	25		500
466123	25	M8	40		350
466125	25	M8	70		200
466126	25	M8	100		150
466127	30	M8	25		400
466128	30	M8	40		300
466129	30	M8	55		200
466130	30	M8	70		150
466133	30	M10	40		200
466134	30	M10	55		100
466135	30	M10	70		100
466138	38	M8	40		300
466140	38	M8	70		150
466143	38	M10	40		200
466147	38	M12	25		200
466152	48	M8	25		200
466154	48	M8	55		150
466159	48	M10	55		100
466160	48	M10	70		100
466161	48	M10	100		50

AFT & AFTM Series
Swivel Tilting Adjustable Feet

Specifications:

- Material: Polypropylene Zinc-Plated Steel Tilt Ball and Stud
- Color: Black



Features:

- Max 25° tilt

Imperial

Item No.	D (Base)		Thread Size	Stud Length		Bulk Pack Qty
	in			in		
AFT25100A	0.984		1/4 - 20	1.000		100
AFT25110A	0.984		5/16 - 18	0.500		100
AFT25120A	0.984		5/16 - 18	1.000		100
AFT25130A	0.984		3/8 - 16	0.500		100
AFT25140A	0.984		3/8 - 16	1.500		100
AFT25150A	0.984		3/8 - 16	2.000		100
AFT32160A	1.260		1/4 - 20	1.000		100
AFT32170A	1.260		5/16 - 18	1.000		100
AFT32180A	1.260		5/16 - 18	1.500		100
AFT32190A	1.260		3/8 - 16	1.000		100
AFT32200A	1.260		3/8 - 16	2.000		100
AFT32210A	1.260		3/8 - 16	3.000		100
AFT38220A	1.496		5/16 - 18	1.000		100
AFT38230A	1.496		5/16 - 18	1.500		100
AFT38240A	1.496		3/8 - 16	1.000		100
AFT38250A	1.496		3/8 - 16	2.000		100
AFT38260A	1.496		3/8 - 16	3.000		100
AFT47270A	1.850		5/16 - 18	1.000		100
AFT47280A	1.850		5/16 - 18	2.000		100
AFT47290A	1.850		3/8 - 16	1.000		100
AFT47300A	1.850		3/8 - 16	2.000		100
AFT47310A	1.850		3/8 - 16	3.000		100

Metric

Item No.	Thread	Ø Base	Stud Length		Bulk Pack Qty
462183	M6	25.0	25.0		750
462184	M6	32.5	25.0		500
110728	M8	25.0	12.0		100
110732	M8	25.0	25.0		100
110729	M8	32.0	12.0		100
110734	M8	38.0	25.0		100
110743	M10	47.5	38.0		100
110747	M10	47.5	50.0		100

ADJUSTABLE FEET


AFH Series
Steel Based Adjustable Feet

Specifications:

- Material: Low-Carbon Steel Stud with Zinc-Plated Finish and Nickel-Plated Shell

Features:

- Economic leveler ideal for uneven surfaces
- Steel shell base provides a smooth non-skid surface
- Excellent for leveling cabinets, office furniture and light-duty machines
- Polymer cushion provided shock absorption
- Attractive chrome finish



Item No.	D (Base)		H (Height)		h (Height)		L		d1 (Thread)	Bulk Pack Qty
	in	mm	in	mm	in	mm	in	mm		
AFH1010A	0.748	19.01	0.236	5.94	0.157	3.97	0.650	16.51	1/4 - 20	400
AFH1015A	0.748	19.01	0.236	5.94	0.157	3.97	1.000	25.40	1/4 - 20	360
AFH1020A	0.866	21.99	0.236	5.94	0.157	3.97	0.650	16.51	1/4 - 20	320
AFH1025A	0.866	21.99	0.236	5.94	0.157	3.97	1.500	38.10	1/4 - 20	300
AFH1030A	0.945	24.03	0.236	5.94	0.157	3.97	0.650	16.51	1/4 - 20	240
AFH1035A	0.945	24.03	0.236	5.94	0.157	3.97	1.500	38.10	1/4 - 20	220
AFH1040A	1.063	27.00	0.236	5.94	0.157	3.97	1.000	25.40	1/4 - 20	192
AFH1045A	1.063	27.00	0.236	5.94	0.157	3.97	2.000	50.80	1/4 - 20	172



AFB Series
Nylon Based Adjustable Feet

Specifications:

- Material: Nylon Base, Low-Carbon Steel Stud with Zinc-Plated Finish and Nickel-Plated Shell
- Color: Natural Nylon Base with Nickel-Plated Shell

Features:

- Economic leveler ideal for uneven surfaces
- Nylon base provides a smooth non-abrasive surface
- Excellent for leveling cabinets, office furniture and light-duty machines



Item No.	D (Base)		H (Height)		L		d1 (Thread)	Bulk Pack Qty
	in	mm	in	mm	in	mm		
AFB1010A	1.000	25.40	0.438	11.11	1.000	25.40	1/4 - 20	400
AFB1015A	1.000	25.40	0.438	11.11	2.000	50.80	1/4 - 20	360
AFB1020A	1.375	34.93	0.594	15.08	1.000	25.40	3/8 - 16	200
AFB1025A	1.375	34.93	0.594	15.08	2.000	50.80	3/8 - 16	180


AFD Series
Nylon Based With Hex Adjustable Feet

Specifications:

- Material: Nylon Base, Low-Carbon Steel Stud with Zinc-Plated Finish and Nickel-Plated Shell
- Color: Natural Nylon Base with Nickel-Plated Shell

Features:

- Integral hexagonal nut allows adjustment under load
- Nylon base provides a smooth non-abrasive surface
- Excellent for leveling cabinets, office furniture and light-duty machines
- Attractive nickel finish



Item No.	D (Base)		H (Height)		L		d1 (Thread)	Bulk Pack Qty
	in	mm	in	mm	in	mm		
AFD1010A	1.300	33.02	0.625	15.88	1.000	25.40	3/8 - 16	300
AFD1020A	1.750	44.45	0.688	17.46	1.000	25.40	3/8 - 16	300
AFD1025A	1.750	44.45	0.688	17.46	2.000	50.80	3/8 - 16	280



AFR Series
Nylon Based Adjustable Feet

Specifications:

- Material: Nylon Base, Low-Carbon Steel Stud With Zinc-Plated Finish and Nickel-Plated Shell
- Color: Natural Nylon Base with Nickel-Plated Shell

Features:

- Economic leveler ideal for uneven surfaces
- Nylon base provides a smooth non-abrasive surface
- Excellent for leveling cabinets, office furniture and light-duty machines



Item No.	D (Base)		H (Height)		L		d1 (Thread)	Bulk Pack Qty
	in	mm	in	mm	in	mm		
AFR1010A	1.125	28.58	0.438	11.11	1.000	25.40	1/4 - 20	400
AFR1015A	1.125	28.58	0.438	11.11	2.000	50.80	1/4 - 20	360
AFR1020A	1.125	28.58	0.438	11.11	1.000	25.40	5/16 - 18	300
AFR1025A	1.125	28.58	0.438	11.11	2.000	50.80	5/16 - 18	280

Item No.	D (Base)		H (Height)		L		d1 (Thread)	Bulk Pack Qty
	in	mm	in	mm	in	mm		
AFR1030A	1.300	33.02	0.500	12.70	1.000	25.40	3/8 - 16	240
AFR1035A	1.300	33.02	0.500	12.70	2.000	50.80	3/8 - 16	220
AFR1040A	1.750	44.45	0.531	13.49	1.000	25.40	3/8 - 16	200
AFR1045A	1.750	44.45	0.531	13.49	2.000	50.80	3/8 - 16	180

BASE CAPS / RIVET FEET

MBC Series
Glide Base Caps




- Specifications:
- Material: See Table
 - Color: Natural

- Features:
- Low profile
 - Effectively encapsulates standard metal base glides

Item No.	Fits Base Cap OD		Material	Bulk Pack Qty
	in			
MBC1200A	0.875		Nylon	5000
MBC1210A	1.000		LDPE	4000
MBC1220A	1.062		Nylon	4000
MBC1230A	1.200		LDPE	3000
MBC1240A	1.218		Nylon	3000
MBC1250A	1.250		LDPE	2500
MBC1260A	1.250		Nylon	2500

FF Series
Fast Foot




- Specifications:
- Material: TPR over Nylon
 - Flame Class: UL94 HB
 - Color: Black

Item No.	Ø Hole		Panel Thickness		D		H		Bulk Pack Qty
	in	mm	in	mm	in	mm	in	mm	
FF-001B	0.199	5.1	0.039 - 0.091	1.0 - 2.3	0.950	24.0	0.551	14.0	100
FF-003-P3X5.5B	0.124	3.2	0.031 - 0.071	0.8 - 1.8	0.560	14.2	0.217	5.5	100
FF-004B	0.199	5.1	0.039 - 0.091	1.0 - 2.3	0.790	20.0	0.394	10.0	100
FF-005-P4X5B	0.163	4.2	0.039 - 0.091	0.8 - 1.8	0.830	21.0	0.165	4.2	100
FF-005-P4X6B	0.163	4.2	0.071 - 0.111	1.8 - 2.8	0.830	21.0	0.165	4.2	100
FF-005-P4X7B	0.163	4.2	0.114 - 0.146	2.9 - 3.7	0.830	21.0	0.165	4.2	100
FF-005-P4X8B	0.163	4.2	0.150 - 0.189	3.8 - 4.8	0.830	21.0	0.165	4.2	100
FF-006-P4X6B	0.163	4.2	0.024 - 0.039	0.6 - 1.0	0.590	15.0	0.236	6.0	100
FF-006-P4X7B	0.163	4.2	0.039 - 0.079	1.0 - 2.0	0.590	15.0	0.236	6.0	100
FF-006-P4X8B	0.163	4.2	0.079 - 0.118	2.0 - 3.1	0.590	15.0	0.236	6.0	100
FF-006-P5X6.5B	0.203	5.2	0.031 - 0.047	0.8 - 1.2	0.590	15.0	0.236	6.0	100
FF-006-P5X7.5B	0.203	5.2	0.051 - 0.091	1.3 - 2.3	0.590	15.0	0.236	6.0	100
FF-008-P4X6B	0.163	4.2	0.031 - 0.071	0.8 - 1.8	0.830	21.0	0.236	6.0	100
FF-008-P4X7B	0.163	4.2	0.075 - 0.110	1.9 - 2.8	0.830	21.0	0.236	6.0	100
FF-008-P4X8B	0.163	4.2	0.114 - 0.157	2.9 - 4.0	0.830	21.0	0.236	6.0	100
FF-009-P4X6B	0.163	4.2	0.000 - 0.031	0.0 - 0.8	0.830	21.0	0.315	8.0	100
FF-009-P4X7B	0.163	4.2	0.031 - 0.079	0.8 - 2.0	0.830	21.0	0.315	8.0	100
FF-009-P4X8B	0.163	4.2	0.083 - 0.118	2.1 - 3.0	0.830	21.0	0.315	8.0	100
FF-010-P4X7B	0.163	4.2	0.039 - 0.079	1.0 - 2.0	0.590	15.0	0.354	9.0	100
FF-010-P4X8B	0.163	4.2	0.079 - 0.118	2.0 - 3.1	0.590	15.0	0.354	9.0	100
FF-13-P3.5X4.5B	0.144	3.7	0.020 - 0.047	0.5 - 1.2	0.430	10.8	0.157	4.0	100
FF-13-P3.5X5.5B	0.144	3.7	0.047 - 0.079	1.2 - 2.0	0.430	10.8	0.157	4.0	100
FF-13-P3.5X6.0B	0.144	3.7	0.059 - 0.087	1.5 - 2.2	0.430	10.8	0.157	4.0	100
FF-13-P3.5X7.0B	0.144	3.7	0.098 - 0.126	2.5 - 3.2	0.430	10.8	0.157	4.0	100

SFF Series
Soft Fast Foot



- Specifications:
- Material: Foot: UL94 HB TPE, 86 Shore A
Pin: Polypropylene
 - Color: Black

- Features:
- Rivet is pushed in, locking foot in place
 - Prevents surface damage with anti-skid and scratch resistant properties
 - Made of abrasion resistant rubber to help cushion and provide vibration control
 - High shear strength



Item No.	Hole Ø		Panel Thickness		A Ref		C Ref		D		Bulk Pack Qty
	in	mm	in	mm	in	mm	in	mm	in	mm	
SFF-018	0.305	7.75	0.031 - 0.059	0.8 - 1.5	0.710	18.0	0.390	10.0	0.790	20.0	100
SFF-021	0.305	7.75	0.197 - 0.315	5.0 - 8.0	0.790	20.0	0.240	6.0	0.830	21.0	100
SFF-023	0.305	7.75	0.031 - 0.059	0.8 - 1.5	0.910	23.0	0.200	5.0	0.980	25.0	100
SFF-028	0.305	7.75	0.031 - 0.059	0.8 - 1.5	0.710	18.0	0.590	15.0	0.790	20.0	100

FBR Series
Foot, Fir-Tree Mount



- Specifications:
- Material: Rivet: UL94 V-2 Nylon 6/6
Foot: TPE
 - Color: Black

- Features:
- Rigid nylon fir-tree mount provides exceptional retention strength
 - Rubber foot provides skid resistance and vibration control

Item No.	Hole Ø		Min. Panel Thickness		Bulk Pack Qty
	in	mm	in	mm	
FBR-1	0.268	6.8	0.394	10.0	1000

STEM BUMPERS

BPM Series
Pull Mount Bumper




Specifications:

- Material: Silicone Rubber, 65 Shore A
- Color: Black


Features:

- Pulled from the inside of chassis
- High temperature silicone helps to cushion and prevent skidding



Item No.	Hole Ø		Panel Thickness		A		Bulk Pack Qty
	in	mm	in	mm	in	mm	
BPM-2	0.240 - 0.250	6.00 - 6.35	0.059	1.5	0.165	4.2	1000
BPM-3	0.240 - 0.250	6.00 - 6.35	0.059	1.5	0.196	5.0	1000

BAB Series
Break-Away Bumper




Specifications:

- Material: See Table
- Color: Black


Features:

- Designed to be pulled from the inside of the chassis
- Mounting tab designed to break away after assembly to save space
- Silicone is good for high temperature applications



Item No.	Hole Ø		Panel Thickness		A Ø		B		C		D		Material	Bulk Pack Qty
	in	mm	in	mm	in	mm	in	mm	in	mm	in	mm		
BAB-1	0.197 - 0.212	5.0 - 5.4	0.024 - 0.031	0.6 - 0.8	0.470	12.0	0.980	25.0	0.090	2.3	0.260	6.5	Silicone Rubber, 40 Shore A	1000
BAB-2	0.197 - 0.212	5.0 - 5.4	0.024 - 0.031	0.6 - 0.8	0.470	12.0	0.980	25.0	0.090	2.3	0.260	6.5	Silicone Rubber, 50 Shore A	1000
BAB-3	0.185 - 0.197	4.7 - 5.0	0.020	0.5	0.390	10.0	0.790	20.0	0.080	2.0	0.160	4.3	Silicone Rubber, 50 Shore A	1000

BIB Series
Blind Install Bumper




Specifications:

- Material: Silicone Rubber, 45 Shore A
- Color: Black

Features:

- Installed from the outside of the chassis
- Cross that is molded into the head allows quick installation with a #1 phillips head screwdriver or 1/8 (3.2) Ø or smaller blunt end rod
- May be used as an alternate to the BAB series seen above



Item No.	Hole Ø		Panel Thickness		Bulk Pack Qty
	in	mm	in	mm	
BIB-1	0.197 - 0.212	5.0 - 5.4	0.024 - 0.031	1.6 - 0.8	1000


STEM BUMPERS

POF
Push On Feet



- Specifications:
- Material: UL94 HB TPE
 - Color: Black

- Features:
- Easily mounted by pushing into chassis





Item No.	Hole Ø		Panel Thickness		A Ø		B Ø		C Ø		D		E		F Ref		Bulk Pack Qty
	in	mm	in	mm	in	mm	in	mm	in	mm	in	mm	in	mm	in	mm	
POF-40022	0.146 - 0.150	3.7 - 3.8	0.126	3.2	0.31	7.9	0.126	3.2	0.17	4.4	0.13	3.3	0.06	1.6	0.13	3.3	1
POF-40048	0.177 - 0.181	4.5 - 4.6	0.059	1.5	0.31	7.9	0.146	3.7	0.24	6.1	0.06	1.6	0.09	2.3	0.12	3.0	1
POF-40059	0.374 - 0.378	9.5 - 9.6	0.059	1.5	0.50	12.7	0.374	9.5	0.50	12.7	0.06	1.6	0.48	12.2	0.14	3.6	2
POF-50185	0.236 - 0.240	6 - 6.1	0.075	1.9	0.53	13.4	0.236	6.0	0.29	7.3	0.08	2.0	0.18	4.6	0.34	8.6	3
POF-12664	0.276 - 0.280	7 - 7.1	0.047	1.2	0.62	15.7	0.276	7.0	0.34	8.6	0.05	1.3	0.20	5.1	0.16	4.1	3

GRF Series
Add Push-On Feet



- Specifications:
- Material: Flexible PVC
 - Color: Black

- Features:
- Designed for use on metal or plastic housings and cases
 - Simply push into punched or drilled holes




Item No.	Type	Ø D		Ø d1		Ø d2		H		h1		h2		h3		Bulk Pack Qty
		in	mm	in	mm	in	mm	in	mm	in	mm	in	mm	in	mm	
GRF16010A	1	0.606	15.39	0.386	9.80	0.500	12.70	0.276	7.01	0.063	1.60	0.106	2.69	—	—	10000
GRF17409A	1	0.748	19.00	0.472	12.00	0.516	13.11	0.256	6.50	0.031	0.79	0.126	3.20	—	—	10000
GRF17412A	1	0.748	19.00	0.504	12.80	0.626	15.90	0.295	7.49	0.063	1.60	0.126	3.20	—	—	7000
GRF24006A	2	0.406	10.31	0.177	4.50	0.087	2.21	0.299	7.59	0.063	1.60	0.079	2.01	—	—	5000
GRF33106A	3	0.311	7.90	0.126	3.20	—	—	0.327	8.31	0.126	3.20	0.063	1.60	0.138	3.51	10000
GRF45050A	4	0.492	12.50	0.374	9.50	—	—	0.669	16.99	0.063	1.60	0.472	12.00	0.138	3.51	10000
GRF54131A	5	0.429	10.90	0.272	6.91	—	—	0.504	12.80	0.028	0.71	0.319	8.10	—	—	10000
GRF64718A	6	0.472	12.00	0.236	6.00	0.228	5.79	0.598	15.19	0.083	2.11	0.181	4.60	—	—	10000
GRF65919A	2	0.622	15.80	0.268	6.81	0.157	3.99	0.382	9.70	0.059	1.50	0.197	5.00	—	—	10000
1347530	7	0.996	25.30	0.492	12.50	0.602	15.29	0.787	19.99	0.197	5.00	0.157	3.99	—	—	2000
GRF86713A	8	0.689	17.50	0.437	11.10	0.524	13.31	0.394	10.01	0.102	2.59	0.157	3.99	0.157	3.99	10000

BDH Series
Domed Split Stem Bumper



- Specifications:
- Material: Nylon 6
 - Color: Natural

- Features:
- Domed head split bumpers are produced with a split-stem portion to make insertion easy and removal difficult
 - The domed head makes them ideal for use as bumpers



Item No.	Ø A		Ø B		C		D		E		F		G		Stem Style	Head Style	Bulk Pack Qty
	in	mm	in	mm	in	mm	in	mm	in	mm	in	mm	in	mm			
BDH005A	0.109	2.77	0.250	6.35	0.203	5.16	0.093	2.36	0.125	3.18	0.046	1.17	0.063	1.60	I	A	40000
BDH010A	0.125	3.18	0.375	9.53	0.307	7.80	0.046	1.17	0.150	3.81	0.130	3.30	0.130	3.30	II	A	30000
BDH020A	0.156	3.96	0.375	9.53	0.265	6.73	0.093	2.36	0.173	4.39	0.093	2.36	0.093	2.36	II	B	20000
BDH025A	0.187	4.75	0.344	8.73	0.203	5.16	0.050	1.27	0.218	5.54	0.083	2.11	0.070	1.78	II	B	35000
BDH030A	0.187	4.75	0.390	9.91	0.250	6.35	0.093	2.36	0.218	5.54	0.088	2.24	0.068	1.73	II	B	24000
BDH040A	0.210	5.33	0.375	9.53	0.343	8.71	0.063	1.60	0.243	6.17	0.125	3.18	0.156	3.96	II	B	20000

BUMPERS & FEET

SOF Series
Screw Mount Feet

Specifications:

- Material: Neoprene Rubber
- Color: Black

Features:

- Securely mounted with a screw
- Provides excellent skid resistance





Fig. 1





Fig. 2

Item No.	Ø A		Ø B		Ø C Ref.		Ø D		Ø E		Ø F		Figure	Bulk Pack Qty
	in	mm	in	mm	in	mm	in	mm	in	mm	in	mm		
SOF-15129	0.280	7.1	0.630	15.9	0.540	13.8	0.310	8.0	0.130	3.2	0.160	4.0	1	100
SOF-15140	0.370	9.5	0.690	17.5	—	—	0.310	8.0	0.160	4.0	0.200	5.2	2	100
SOF-15125	0.450	11.5	0.750	19.1	0.710	18.0	0.400	10.2	0.200	5.0	0.250	6.35	1	100
SOF-15111	0.600	15.25	0.750	19.1	0.500	12.7	0.310	8.0	0.160	4.0	0.190	4.0	2	100
SOF-15127	0.720	18.35	0.730	18.5	—	—	0.310	8.0	0.190	4.8	0.250	6.35	1	100
SOF-15126	0.980	25.0	0.890	22.5	0.500	12.7	0.340	8.7	0.160	4.0	0.570	14.5	2	100

BRR Series
Screw on Bumper Feet




Specifications:

- Material: See Table
- Color: See Table

Features:

- Recessed bumpers are ideally suited for use as feet on radios, TV sets, house wares, small appliances and many other products
- They are fastened by means of a screw, bolt or rivet
- Can also be used as spacers or door stops
- Available in round, coved and tapered configurations



Item No.	Material	Color	Ø A		B		C		Ø D		E		Bulk Pack Qty
			in	mm	in	mm	in	mm	in	mm	in	mm	
BRR015A	Nylon	Natural	0.500	12.70	0.375	9.53	0.063	1.59	0.391	9.92	0.190	4.83	12000
BRR015B	Nylon	Black	0.500	12.70	0.375	9.53	0.063	1.59	0.391	9.92	0.190	4.83	12000
BRR015C	LDPE	Black	0.500	12.70	0.375	9.53	0.063	1.59	0.391	9.92	0.190	4.83	12000
BRR025A	Nylon	Natural	0.625	15.88	0.500	12.70	0.250	6.35	0.343	8.71	0.187	4.75	5000
BRR025B	Nylon	Black	0.625	15.88	0.500	12.70	0.250	6.35	0.343	8.71	0.187	4.75	5000
BRR025C	LDPE	Black	0.625	15.88	0.500	12.70	0.250	6.35	0.343	8.71	0.187	4.75	5000
BRR030A	Nylon	Natural	0.750	19.05	0.312	7.92	0.130	3.30	0.437	11.10	0.280	7.11	5000
BRR030B	Nylon	Black	0.750	19.05	0.312	7.92	0.130	3.30	0.437	11.10	0.280	7.11	5000
BRR030C	LDPE	Black	0.750	19.05	0.312	7.92	0.130	3.30	0.437	11.10	0.280	7.11	5000
BRR055A	Nylon	Natural	1.000	25.40	0.500	12.70	0.250	6.35	0.563	14.29	0.266	6.75	3200
BRR055B	Nylon	Black	1.000	25.40	0.500	12.70	0.250	6.35	0.563	14.29	0.266	6.75	3200
BRR055C	LDPE	Black	1.000	25.40	0.500	12.70	0.250	6.35	0.563	14.29	0.266	6.75	3200

BTR Series
Heavy Duty Screw on Bumper Feet




Specifications:

- Material: See Table
- Color: See Table

Features:

- They are fastened by means of a screw, bolt or rivet



Item No.	Material	Color	Ø A		B		C		Ø D		E		Bulk Pack Qty
			in	mm	in	mm	in	mm	in	mm	in	mm	
BTR020A	Nylon	Natural	0.750	19.05	0.625	15.88	0.437	11.10	0.375	9.53	0.156	3.96	5000
BTR020B	Nylon	Black	0.750	19.05	0.625	15.88	0.437	11.10	0.375	9.53	0.156	3.96	5000
BTR020C	LDPE	Natural	0.750	19.05	0.625	15.88	0.437	11.10	0.375	9.53	0.156	3.96	5000
BTR020D	LDPE	Black	0.750	19.05	0.625	15.88	0.437	11.10	0.375	9.53	0.156	3.96	5000
BTR040A	Nylon	Natural	0.750	19.05	0.750	19.05	0.470	11.94	0.440	11.18	0.196	4.98	5000
BTR040B	Nylon	Black	0.750	19.05	0.750	19.05	0.470	11.94	0.440	11.18	0.196	4.98	5000
BTR040C	LDPE	Natural	0.750	19.05	0.750	19.05	0.470	11.94	0.440	11.18	0.196	4.98	5000
BTR040D	LDPE	Black	0.750	19.05	0.750	19.05	0.470	11.94	0.440	11.18	0.196	4.98	5000

STEM BUMPERS

BST & BCS Series
Standard & Coved Stem Bumpers

- Specifications:
- Material: Nylon
 - Color: Natural

- Features:
- Used to protect surfaces from contact
 - Ideal for sheet metal, wood and tubing



Lead Types



Arrow: A




No Lead: N




Tapered: T




Step: S



Type 1




Type 2




Type 3



Type 4



Type 5




Item No.	Style	A (Base Size)		Ø B		C		D		Bulk Pack Qty
		in	mm	in	mm	in	mm	in	mm	
BST015A	1A	0.437	1.1	0.125	3.18	0.546	13.87	0.125	3.18	29000
BST027A	1A	0.500	2.70	0.200	5.08	0.607	15.42	0.063	1.6	20000
BST005A	1N	0.362	0.19	0.200	5.08	0.250	6.35	0.150	3.81	16000
BST025A	1N	0.500	12.70	0.190	4.83	0.325	8.26	0.150	3.81	8000
BST010A	1S	0.375	9.53	0.187	4.75	0.600	15.24	0.060	7.62	15000
BST020A	1S	0.500	12.70	0.225	4.75	0.781	19.84	0.296	7.52	8000
BST030A	1S	0.500	12.70	0.250	6.35	0.640	16.26	0.188	4.78	5000
BST040A	1S	0.500	12.70	0.335	8.51	0.858	21.79	0.435	11.05	6500
BST072A	1S	0.750	19.05	0.255	6.48	0.400	10.16	0.187	4.75	7000
BST100A	1S	0.125	28.58	0.320	8.13	0.495	12.57	0.165	4.19	5000
BST140A	1S	0.250	31.75	0.375	9.53	0.840	21.37	0.380	9.65	2300
BST075C	1T	0.750	19.05	0.250	6.35	0.687	17.45	0.187	4.75	10000
BST095A	1T	1.000	25.40	0.250	6.35	0.656	16.66	0.156	3.96	7000
BST115A	2S	0.750 x 1.00	19.05 x 25.40	0.250	6.35	0.570	14.48	0.120	3.05	5500
BST110A	3S	0.750 x 0.750	19.05 x 19.05	0.268	6.81	0.490	12.45	0.090	2.28	5000
BST135A	3S	0.620 x 0.620	15.75 x 15.75	0.250	6.35	0.450	11.43	0.128	3.05	5500
BST012A	4N	0.375	9.53	0.260	6.6	0.880	22.35	0.635	16.13	10000
BCS030C	5S	0.750	19.05	0.255	6.48	0.360	9.14	0.187	4.75	8000
BST070A	5S	0.980	24.89	0.250	6.35	0.750	19.05	0.500	12.7	35000
BST150A	5T	0.750	19.05	0.268	6.81	0.710	18.03	0.187	4.75	8000

BCR Series
Coved Screw On Bumper Feet



- Specifications:
- Material: See Table
 - Color: See Table


- Features:
- Coved surface fits matching round tubing
 - Can be used as a glide, bumper or spacer



Item No.	Material	Color	Tube Ø	Ø A	B	C	Ø D	Ø E	Bulk Pack Qty
BCR010A	Nylon	Natural	0.750	0.805	1.000	0.250	0.370	0.215	1500
BCR020A	Nylon	Natural	1.000	0.835	0.675	0.280	0.645	0.270	5000
BCR040A	Nylon	Natural	1.000	0.990	0.850	0.260	0.515	0.240	2800
BCR040B	Nylon	Black	1.000	0.990	0.850	0.260	0.515	0.240	2800
BCR050A	Nylon	Natural	1.000	1.000	0.812	0.312	0.500	0.218	3000
BCR050B	Nylon	Black	1.000	1.000	0.812	0.312	0.500	0.218	3000
BCR050C	LDPE	Black	1.000	1.000	0.812	0.312	0.500	0.218	3000
BCR060A	Nylon	Natural	1.000	1.000	0.828	0.265	0.484	0.305	3000
BCR060B	Nylon	Black	1.000	1.000	0.828	0.265	0.484	0.305	3000
BCR060C	LDPE	Black	1.000	1.000	0.828	0.265	0.484	0.305	3000

STEM BUMPERS & WELD CUPS

BFS, BFSA & SCP Series
Flat Headed Stem Bumpers





Specifications:

- Material: See Table
- Color: See Table

Features:

- Flat head stem bumpers are designed to rest against a flat or tangent surface
- The step-type or tapered lead on the stem makes insertion easy, and the press fit on the shank holds the bumper securely
- Applications include use as glides, bumpers, closures, slides and stops on many products



Item No.	Material	Color	Ø A		Ø B		C		D		Lead Style	Bulk Pack Qty
			in	mm	in	mm	in	mm	in	mm		
BFS010A	Nylon	Natural	0.125	3.18	0.406	10.31	0.297	7.54	0.063	1.60	T	15000
BFS015A	Nylon	Natural	0.250	6.35	0.500	12.70	0.594	15.09	0.250	6.35	S	11000
BFS020A	Nylon	Natural	0.156	3.96	0.307	7.80	0.173	4.39	0.042	1.07	R	10000
BFS035A	Nylon	Natural	0.187	4.70	0.500	12.70	0.313	7.95	0.125	3.18	T	9000
BFS060A	Nylon	Natural	0.250	6.35	0.500	12.70	0.438	11.13	0.156	3.96	R	15000
BFS080A	Nylon	Natural	0.260	6.60	0.750	19.05	0.437	11.10	0.094	2.39	S	9000
BFS100A	Nylon	Natural	0.320	8.13	1.000	25.40	0.415	10.54	0.180	4.57	S	7000
BFS110A	Nylon	Natural	0.380	9.65	1.490	37.08	0.415	10.54	0.180	4.57	S	3000
BFSA010A	LDPE	Black	0.125	3.18	0.406	10.31	0.297	7.54	0.063	1.60	T	15000
BFSA015A	LDPE	Black	0.250	6.35	0.500	12.70	0.594	15.09	0.250	6.35	S	11000
BFSA035A	LDPE	Black	0.187	4.70	0.500	12.70	0.313	7.95	0.125	3.18	T	9000
BFSA060A	LDPE	Black	0.250	6.35	0.500	12.70	0.438	11.13	0.156	3.96	R	15000
BFSA080A	LDPE	Black	0.260	6.60	0.750	19.05	0.437	11.10	0.094	2.39	S	9000
BFSA100A	LDPE	Black	0.320	8.13	1.000	25.40	0.415	10.54	0.180	4.57	S	7000
BFSA110A	LDPE	Black	0.380	9.65	1.490	37.08	0.415	10.54	0.180	4.57	S	3000
SCP2520B	HDPE	Black	0.252	6.40	0.748	19.00	0.710	18.00	0.150	3.81	N	5000

WCG Series
Weld Cups for Wrought Iron

Specifications:

- Material: High-Density Polyethylene
- Color: Natural

Features:

- Center air hole
- Fits standard steel weld cups



Style 1




Style 2

Item No.	OD of Weld Cup		Style	Bulk Pack Qty
	in	mm		
WCG1000A	1.415	35.95	1	1800
WCG1100A	1.250	31.80	1	2500
WCG1200A	1.420	36.09	2	1800
WCG1300B	1.250	31.80	2	2800

SVF Series
Shock & Vibration Dampening Foot



- Mounted with a #6 or #8 (M4) screw or an SR-40XX rivet
- Provides excellent shock and vibration control
- SVF-1 Material: UL94 HB TPE 75 Shore A
- SVF-2 Material: UL94 HB TPE 64 Shore A
- Color: Black



Item No.	Item No.	Bulk Pack Qty
SVF-1	SVF-2	400

BUMPERS

BF Series
Big Screw Mount Foot




Specifications:


- Foot Material: UL94 HB ABS
- Pad Material: Nylon Fiber
- Color: Black

Features:


- Ideal for heavy duty applications
- Mounted securely with a #8 (M4) pan head screw
- Nylon fiber pad material helps prevent abrasion



BF-1001



BF-1002



BF-1005

Item No.	Load Capacity		Bulk Pack Qty
	lbs	kg	
BF-1001	22	10	100
BF-1002	22	10	100
BF-1005	22	10	100


BSS Series
Flat Head Split Stem Bumpers

Specifications:

- Material: Nylon
- Color: Natural

Features:

- Produced with a split stem portion and undercut to make insertion easy and removal difficult
- Used as panel plugs and bumpers



Item No.	Hole Ø		Ø A		B		C		D		E		F		G		Bulk Pack Qty
	in	mm	in	mm	in	mm	in	mm	in	mm	in	mm	in	mm	in	mm	
BSS010A	0.156	3.96	0.152	3.86	0.500	12.70	0.312	7.92	0.063	1.60	0.166	4.22	0.063	1.60	0.187	4.75	14000
BSS015A	0.265	6.73	0.260	6.60	0.750	19.00	0.625	15.88	0.187	4.75	0.290	7.37	0.125	3.18	0.312	7.92	10500


BDS Series
Double Stem Bumpers

Specifications:

- Material: Nylon 6
- Color: Natural

Features:

- Designed for applications requiring a bumper with a large head area



Item No.	Hole Ø		A		B		C		D		E		Bulk Pack Qty
	in	mm	in	mm	in	mm	in	mm	in	mm	in	mm	
BDS010A	0.187	4.75	0.375	9.53	1.000	25.40	0.625	15.88	0.500	12.70	0.125	3.18	3500

SG Series
Snap-In Saddle Glides and Feet




Specifications:

- Materials: See Table
- Color: See Table

Features:

- Designed to snap onto horizontal legs of chairs, tables and stands



Item No.	Tube Size		Material	Color	Bulk Pack Qty
	in	mm			
SG1000B	0.625		K-Resin	Clear	4000
SG1050A	0.875		ABS	Black	2500
SG1100A	1.000		ABS	Black	1400

TB Series
Threaded Insert Bumper




Specifications:

- Material: IIR; 40-50 Shore A
- Stem: Brass

Features:

- Can be used as a leveling device or bumper for small equipment
- Non-corrosive stud



Item No.	Thread	H		L		D		Bulk Pack Qty
		in	mm	in	mm	in	mm	
TB-1	#6-32	0.200	5.1	0.400	10.2	0.380	9.5	100
TB-2	#8-32	0.200	5.1	0.400	10.2	0.380	9.5	100
TB-3	M3	0.200	5.1	0.400	10.2	0.380	9.5	100
TB-4	M4	0.200	5.1	0.400	10.2	0.380	9.5	100

**RBS/STF Series
 Bumpers/Stick-On Feet**

Specifications:

- Material: Polyurethane
- Adhesive: Rubber
- Color: See Table
- Application Temperature: 65°F to 150°F

Features:

- Will not tarnish, scratch, or discolor any surface
- Easy to use - simply peel & stick
- Adhesion works best on a smooth, clean & dry surface
- Commonly used as rubber feet, cabinet stoppers, door stops & surface protectors

**Cylindrical
 On A Pad**



Item No.		Ø		Height		Pieces/Pad	Pack Qty
Clear	Black	in	mm	in	mm		
RBS-34	RBS-34BK	0.375	9.5	0.125	3.2	300	300
RBS-35	RBS-35BK	0.375	9.5	0.190	4.8	200	200
RBS-5	RBS-5BK	0.500	12.7	0.060	1.5	200	200
RBS-1	RBS-1BK	0.500	12.7	0.140	3.6	200	200
RBS-6	RBS-6BK	0.500	12.7	0.250	6.4	200	200
RBS-11	RBS-11BK	0.650	15.7	0.400	10.2	128	128
RBS-44	RBS-44BK	0.750	19.1	0.160	4.1	98	98
RBS-41	RBS-41BK	0.780	19.8	0.200	5.1	84	84
RBS-24	RBS-24BK	0.810	20.6	0.120	3.0	72	72
RBS-72	RBS-72BK	1.230	31.2	0.100	2.5	32	32

**Hemisphere
 On A Pad**



Item No.		Ø		Height		Pieces/Pad	Pack Qty
Clear	Black	in	mm	in	mm		
RBS-40	RBS-40BK	0.250	6.4	0.062	1.6	578	578
STFHEM250087A	STFHEM250087B	0.250	6.4	0.087	2.2	450	450
RBS-27	RBS-27BK	0.312	7.9	0.085	2.2	450	450
RBS-7	RBS-7BK	0.335	8.5	0.085	2.2	450	450
RBS-12	RBS-12BK	0.375	9.5	0.150	3.8	72	72
RBS-22	RBS-22BK	0.375	9.5	0.211	5.4	300	300
RBS-10	—	0.394	10.0	0.118	3.0	288	288
RBS-2	RBS-2BK	0.440	11.2	0.200	5.1	242	242
RBS-15	RBS-15BK	0.620	15.7	0.310	7.9	128	128
RBS-8	RBS-8BK	0.700	17.8	0.380	9.7	98	98
RBS-37	RBS-37BK	0.720	18.3	0.560	14.2	100	100
RBS-39	RBS-39BK	0.750	19.1	0.075	1.9	84	84

**Square
 On A Pad**



Item No.	Item No.	L x W		Height		Pieces/Pad	Pack Qty
Clear	Black	in	mm	in	mm		
RBS-20	RBS-20BK	0.400	10.2	0.100	2.5	242	242
RBS-32R	RBS-32RBK	0.500	12.7	0.120	3.0	200	200
RBS-3R	RBS-3RBK	0.500	12.7	0.230	5.8	200	200
RBS-4	RBS-4BK	0.780	19.8	0.380	9.7	100	100
RBS-29	RBS-29BK	0.780	19.8	0.250	6.4	98	98
RBS-19	RBS-19BK	0.810	20.6	0.300	7.6	98	98
RBS-36	RBS-36BK	1.000	25.4	0.180	4.6	55	55

**Round Recessed
 On A Pad**



Item No.		Ø		Height		Pieces/Pad	Pack Qty
Clear	Black	in	mm	in	mm		
RBS-18	RBS-18BK	0.500	12.7	0.140	3.6	200	200
RBS-17	RBS-17BK	0.880	22.4	0.400	10.2	72	72
RBS-30	RBS-30BK	1.810	46.0	0.600	15.2	100	100



OVER
65,000+
PRODUCTS



FREE CAD DOWNLOADS



65,000+ PRODUCTS



SAME DAY SHIPPING

MANUFACTURING AND WAREHOUSE LOCATIONS

M Manufacturing
W Warehouse

Erie, PA **M**
Flippin, AR **M**
Monterrey, MX **M W**
Jaguariuna, BR **M W**

Louisville, KY **W**
Houston, TX **W**
Nisku, CA **W**
Burlington, CA **W**



CONTACT US TODAY!
800.847.0486



EMAIL AN ESSENTRA EXPERT
SALES@ESSENTRACOMPONENTS.COM

www.essentracomponents.com

MAKING IT EASIER